

Nanotechnology: optimal applications in anti-cancer drug medicine treatment and diagnosis

Muthana H Al-saidi¹

Hadi Hasan Hadi²

Wurood Hasan Hadi³

¹ Dept. Electrical Engineering, Faculty of Engineering, University of Kufa, Iraq

² Dept. chemistry, Faculty of sciences, University of Kufa, Iraq

³ Dept. Biology, Faculty of sciences, University of Kufa, Iraq

Muthanah.alali@uokufa.edu.iq

Abstract:

The scientific field devoted the importance of studying nanotechnology, which characterizes nanoparticles and their multi-purpose functions, especially nanomedicine techniques. The review focused on newer technologies in biomedical applications as a drug vector in cancer treatment. To occupy the center stage on most of the biological vectors of drugs for the treatment of cancer. Practically, chemical treatments have harm as they target cancerous and non-cancerous cells alike, the solubility is almost non-existent, and the inability of chemotherapy to penetrate cancerous cells, which opens the way for this technique with clear prospects for the aforementioned purpose. The ability to selectively deliver nano-drugs to targeted cancer cells in an optimal manner and to avoid non-specific interactions with healthy cells. The current review focuses on ways to improve the size, shape, and properties of nanomaterials that can be exploited in cancer therapy. The successful treatment of nanocarriers for cancer can be designed for the future as nanotherapies.

Introduction

One of the most recent and pioneering medical applications that bear several directions in cellular therapy is nanotechnology (Yan, *et al.*, 2019 ; Al-saidi *et al.*, 2022). There are countless studies, whether by industrial methods or by green methods, using organic compounds. (Proteins, sugars, lipids, Pac-Tria, fungi, and viruses) (de Marco *et al.*, 2019), inorganic substances (Ag, Au, Ti, Zn, Co, etc.) and also by volcanic eruptions and weathering. NPs are synthesized by physical, chemical and biological methods. The physical and chemical methods are very expensive (Khan *et al.*, 2022). Biological methods for the synthesis of NPs will help remove harsh processing conditions, by allowing synthesis at physiological pH, temperature and pressure and at the same time at minimal cost (Lade & Shanware, 2020). A large number of microorganisms have been found to be competent to synthesize inorganic NPs, both inside and outside the cell (Sumanth, et al., 2020).

The completely new and improved properties within the range of 100 nanometers (nanometers) or less have entered the present application of the widest sections and this is what distinguishes them from the properties of larger particles (Chaturvedi & Dave, 2020 ; Hassan *et al.*, 2022). They are usually produced based on specific properties including size, shape, distribution and surface morphology. These applications showed characteristic colors and properties with the variation of size and shape, which can be utilized in bioimaging implementation (Wang *et al.*, 2020).

Nanotechnology is the main support in dealing with materials and creating structures and systems at the atomic and molecular level (Ariga, 2021) ; Dastani, 2019). This

technology contributes to giving the material unique properties at sub-atomic scales to create unique or improved materials and products (Aljamali *et al.*, 2021).

In the second half of 1980s to the early 1990s a number of important discoveries and inventions was made, which created an essential impact on the further development of nanotechnology (Zin *et al.*, 2021). Since then, a considerable intensification of nanotechnological researches and designs is underway, the number of publications on nanotechnological subjects increases sharply, practical application of nanotechnology expands; project financing in nanotechnology increases significantly, as well as the number of organizations and countries involved in it (Wanget *et al.*, 2019).

In 2001 the National Nanotechnological Initiative (NNI) of the USA was approved. The principal idea of this program was formulated as follows: "National Nanotechnological Initiative defines the strategy of interaction between federal departments of the USA for the purpose of prioritizing nanotechnology development, which should become a basis for the economy and national security of the USA in the first half of the 21st century» (Forestal *et al.*, 2022 ; Hartshorn & Morris 2019).

Recently, several synthesis methods have been developed to lay the basic building block for introducing it within the scope of practical implementation and manufacturing more unique and exciting materials instead of incorporating the use in the traditional form whose particle size is less than 100 nm to successive luminal fields of interest due to its wonderful properties with multiple applications compared to its bulk counterparts. Research on particle size, shape, and surface properties of a material is one of the major important areas of properties of NPs for targeted applications in broad fields of science (Dutta *et al.*, 2021; Guo & Jin, 2019).

"Biolab" is the green way to manufacture pure materials using a bio-reducing medium that is sustainable, economical, easy to use, fast and environmentally friendly with the efficiency to produce pure metal and metal oxide particles at the nanometer scale using a biomimetic approach. (Fein, 2020),

Microorganisms, such as bacteria, fungi, yeast, plant extracts and waste materials acted as eco-friendly factories for the synthesis of nanomaterials with prepared applications (Kaur *et al.*, 2022). Professionally, the synthesis of nanomaterials on the green method has become the latest in the availability of the aforementioned biological sources, in addition to reducing the use of toxic chemicals. These microorganisms involved in the synthesis of these nanomaterials also demonstrate the size, shape, and functional groups involved in the synthesis and application of nanomaterials (Kumar *et al.*, (2021).

Nanotechnology racing

In the current century, nanotechnology is the turning point in technological medicine in particular and the technical advance of various fields in general. Where it started from the pathological diagnosis, especially the scaling of the diseased condition and its treatment (Huang *et al.*, 2018 ; Thangadurai., 2020) , which called on governments to develop strategies and organizational plans to keep pace with the fierce competition between governments to take the closest position to the fore in the hierarchy of advancement (Adir *et al.*, 2020).

In the second half of the eighties to the early nineties, a number of important discoveries and inventions were made, which created a fundamental influence on the further development of nanotechnology. Since then, a significant intensification of nanotechnology (Riaz *et al.*, 2021).

Research and designs are in progress, the number of publications on nanotechnology topics is increasing sharply, and the practical application of nanotechnology is expanding; Funding for projects in the field of nanotechnology is increasing significantly, as well as the number of organizations and countries participating in it (Vurro et al., 2019; Falchi, et al., 2018).

In 1991, the first Nanotechnology Program of the National Science Fund was started in the USA (Doubleday & Viseu, 2019).

In 2001 the National Nanotechnology Initiative (NNI) of the USA was approved. The main idea of this program is formulated as follows: "The National Nanotechnology Initiative defines the strategy of interaction between the federal departments in the United States of America for the purpose of giving priority to the development of nanotechnology, which should become the basis for the economy and national security of the United States of America in the first half of the twenty-first century (Merzbacher, 2020).

During 1996-1998, prior to the approval of the NNI, a special commission of the American Center for Global Technology Assessment monitored and analyzed the development of nanotechnology in all countries and published survey newsletters on the basic trends of development and scientific, technical and management achievements (Fogelberg, 2019). experts in the United States. In 1999, the Interbranch Group Session on Nano-sciences, Nanoengineering and Nanotechnology (IWGN) took place, with the result that research in the field of nanotechnology for the next ten years was anticipated. In the same year, the conclusions and recommendations of the IWGN were supported by the Presidential Council on Science and Technology (PCAST), as the NNI was formally approved in 2000 (Ryzhenkov & Inshakova, 2019). From 1987 established research in nanomaterials to the most technologically booming years 2006 to 2020, catalytic research in nanotechnology was one of the four most priority programs (Sanchez, et al., 2018).

Activation of NPs for high-throughput biomedical applications. Attracting the most efficient number of scientists to the field of advanced sciences with nanotechnology, for practical, especially medical, practical briefing (Chen *et al.*, 2022) The unique chemical and physical properties have stimulated a growing interest in the field of nanoscience to synthesize NPs from various materials including noble metals such as Ag, Au, Pd, Pt, magnetic materials (such as Co, CoPt, CoFe₂O₄, Fe₃O₄, FePt) and semiconductors (such as CdSCdSe and ZnS) (Nouri, 2022).. and InP, PbS, Si and TiO₂) and their possible combinations (Giri et al., 2022). NPs are specifically and comprehensively used as parameters, drug vector, trace agents, genetic vector, diabetes, cancer, hyperthermia therapies, contrast agents in magnetic resonance imaging (MRI) etc (Malik & Mukherjee, 2018). for applications. The use of NPs medically depends on several things, they must have certain criteria such as fluorescent staining, have no cytotoxicity, non-specific reactivity to plasma proteins, evasion of the endothelial re-epithelial system (RES) depending on the application, under physiological condition, they must also It has good colloidal stability in a wide range of pH, and these are the most important things that are highlighted in the pharmaceutical production and the practical application of any medical drug, whether it is of a therapeutic, preventive or diagnostic quality at the physiological or molecular level (Khalili *et al.*, 2022); (Pang *et al.*, 2020).

The ionic ligands

It is one of the most important chemical conditions to allow NPs to continue pairing. The physiological salt concentration should be around 100 mM (Fu *et al.*, 2019; Zhang *et al.*, 2021). as free ions may be lost during steric re-conjugation and NPs such as citric acid/citrate or phosphoric acid/phosphate can easily lose protons and exhibit a pH-sensitive property such as protonation/deprotonation affecting The surface charge that leads to the salting out of the NPs (Guru Prasad, 2019) ; Mertins, 2020). However, this strategy in stereochemical recombination is not valid for biomedical application. It is an alternative strategy for ionic stability of NPs to prevent aggregation by giving a physical barrier to superior NPs (Zhao *et al.*, 2020). This kind of performance can be achieved by coating the bonding envelope on the NPs or embedding the NPs within appropriate polymer or inorganic matrices (Shi *et al.*, 2022). This allows the NPs to come into contact and aggregate which helps in increasing the hydrodynamic radius of the NPs and thus makes it suitable for in vivo applications with a longer turnover time in the bloodstream (Zhou *et al.*, 2021). To achieve NPs for desired applications, considerations must be taken of several important properties of synthesized NPs such as:

1. Ionic stabilization
2. Steric stabilization
3. Polymeric ligands
4. Small-molecule ligands
5. Phase transfer (PT)
6. Ligand exchange
7. Ligand addition
8. Effects of the ligand shell
9. Type of biofunctionalization
10. Type of coupling strategies for biofunctionalization (Duan *et al.*, 2018 ; Aslam *et al.*, 2021).

The choice of method for preparing the nanomaterial determines the advantages that the particles will have, such as increased surface-to-volume ratio as well as magnetic properties, and depending on the cellular targets, medical purpose or any interesting application they will be categorized into different engineered nano-systems (Dinesha *et al.*, 2021; Hakke *et al.*, 2021).

Cancer medication by type I (magnetic NPs (MNPs))

The topic of concern now in the biomedical application of cancer is the structuring of NPs with magnetic properties to possess excellent stimulation of biological response, which was the focus of interest as the first proposed for biomedical application. Their inclusion in the treatment pathways of various diseases highlights the growing trend towards integrating new biotechnologies into health-care (Mertz *et al.*, 2020).; He *et al.*, 2021).

The primary function of Superparamagnetic NPs (SPNs) is to produce a localized thermal effect that leads to the breakdown of bacterial biofilms and cancer cells. Furthermore, through architectural disruption of bacterial membranes, *S. pneumoniae* can sensitize bacterial cells that are resistant to antibacterial compounds (Dong *et al.*, 2019 ; Liu *et al.*, 2019).

The magnetic property of NPs is to overcome the light, and MNP can convert external electromagnetic energy into controlled heat circulating in most directions of biology and medicine due to the property of local temperature control in nanoscale by remote

control method (Nawaz et al., 2018). This is due to the nature of biological molecules such as DNA and transmembrane proteins that have similar stereotyped structures that influence MNPs to specifically catalyze or activate target molecules in a sensitizing manner at the molecular level. MNPs have been extensively studied specifically for the type of cancer using heat therapy (Mikocziova et al., 2021). The architecture of cancer cells is degraded by the heat emitted by the MNPs which is a cascade of shocks and the generated heat can stop the cancer cells and return to their state for anticancer activities (Cardoso et al., 2018). This remarkable potential has made it a strong candidate for clinical applications specifically for prostate cancer and gliomas without serious side effects. Recently, researchers in biomedical applications have begun to automatically use MNPs as inducible components of various biological systems such as cell signal trafficking, cargo delivery by magnetically actuated NPs, to heat-sensitive activation of transmembrane receptors by NPs, and production of proteins by gene expression studies (Shrestha et al., 2022).; (Zhong *et al.*, 2022).

Thermal magnetization NPs in drug delivery

Several decades ago, after a series of experiments, and after using several experiments to stimulate and release loaded particles under controlled physiological conditions, including pH, ionic levels, glucose levels, changing enzyme levels, different thiol states, and hypersensitive or different immune stimuli. molecular bonds. Under these conditions, MNPs induce effective target drug delivery by modulating bi-molecular interactions such as contraction, contraction, and cleavage of target molecules (Singh et al., 2022 ; Gulfam *et al.*, 2019). With this intriguing new approach, many new molecules such as siRNA, aptamers, chemotherapeutic agents, antibodies, and cell membrane escaping peptides can be used in various applications and have a future for remotely controlled cellular activities by designing MNPs with novel characteristic properties (Dong *et al.*, 2019 ; Subhan & Torchilin, 2020)..Expand its potential to the whole body to provide appropriate therapy for different biological systems, and spherical therapy for the biological system. In terms of therapies, NPs play a potentially large role (Tabish *et al.*, 2020).

NPs can also be designed to deliver selective drugs and genes to target organs or tissues, thus reducing the exposure of healthy tissues to drugs or genes. Moreover, some nanomaterials are used in heat therapy (Raj et al., 2021). Several classes of NPs, namely liposomes, magnetic and metalloids, are currently under clinical trials for cancer thermotherapy (Tan *et al.*, 2020) Magnetic NPs (MNPs) are designed to be heated under a high-frequency magnetic field to induce cancer cell death. Research is progressing further in the fight against cancer by targeting cancer stem cells (CSCs) (Dong et al., 2019). Infect, CSCs can not only play a major role in cancer initiation, development and drug resistance, but chemotherapy drugs may increase the fraction of CSCs in a tumor, allowing these cells to survive and evade distant sites (Zhou et al., 2021).

In this battle against CSCs, MNPs have shown encouraging results. For example, the magnetic hyperthermia transduced by superparamagnetic iron oxide NPs (SPION) in the alternating current magnetic field reduced or eliminated CSC population (Najafi *et al.*, 2019). The combination therapy of monoclonal antibody and paclitaxel loaded iron oxide magnetic NPs against cancer stem-like cell activity in multiple myeloma, led to significant reduction of tumor growth in a preclinical study (Iannazzo et al., 2020).

NPs have a large and obvious role in therapies. This is done by designing NPs as drug and gene-selective transporters to target organs or tissues, without exposure to healthy tissues of drugs or genes (Filipcak et al., 2021). As well as the use of some nanomaterials in heat treatment. Several classes of NPs, namely liposomes, magnetic and metalloids, are currently under clinical trials for cancer thermotherapy (Tan et al., 2020). Magnetic NPs (MNPs) are designed to be heated under a high-frequency magnetic field to increase the rate of cancer cell death. Research is progressing further in the fight against cancer by targeting cancer stem cells (CSCs) (Dong et al., 2019). Indeed, CSCs are not only involved in cancer initiation, development and drug resistance, but chemotherapy drugs may increase the fraction of CSCs in a tumor, allowing these cells to survive and evade distant sites. In this fight against CSCs, MNP has shown encouraging results. For example, the magnetic temperature of superparamagnetic iron oxide NPs (SPION) in the alternating current magnetic field reduced or eliminated CSC counts. Combined treatment of monoclonal antibodies and paclitaxel-loaded iron oxide magnetic NPs against CSC activity in multiple myeloma, significantly reduced tumorigenicity.

The objective of applying nanotherapy in medicine is to improve detection as well as increase the effectiveness of cancer medicine and reduce the systemic toxicity associated with this treatment (Soltani et al., 2021). It is important that the therapeutic agents arrive and can be concentrated at the target sites. Another advantage of nanomedicine in cancer treatment is personalized medicine where we can review the treatment results in the patient and plan the next treatment or decide to repeat the same treatment session (personalized medicine) (Milewska et al., 2021). Innovative, multifunctional hybrid NPs combine therapeutic and visualization capabilities for future use in simultaneous magnetic resonance imaging and treatment strategies based on targeted drug design, magnetic hyperthermia, or magnetic mechanical actuation (Montiel Schneider et al., 2022).

SPIONs are used in medical imaging, tumor targeting, drug delivery, and cancer treatment. The sizes, shapes, and surface properties of SPIONs can be engineered to improve targeting efficiency, drug delivery, MRI contrast, responses to external magnetic fields and reduce their toxicity as well as nonspecific cellular uptake. Successful application of MRI and some clinical findings from SPIONs could pave the way for advanced therapeutic use in clinical applications (Palanisamy & Wang, 2019).


Combustible polymers

Over the past few decades, there has been much research on the controlled release of medications employing drug delivery systems. Drug delivery methods can increase the bioavailability, specificity of targeting, solubility, or dispersibility of hydrophobic medications, resulting in fewer negative side effects. Due to their ability to be manipulated to assemble into a range of nanostructures, including vesicles, micelles, and solid core particles, polymers have been extensively investigated for drug administration. (Al-Musawi et al., 2020 ; Dong et al., 2019).

Due to its propensity to magnify reactions to stimuli, CPs are very desirable for a variety of applications, including sensors. CPs are therefore very desirable for a variety of applications including sensors responsive plastics and coatings, lithography, and medication delivery because they have the capacity to enhance reactions to stimuli (Zhang & Travas-Sejdic, 2021). Few research has so far looked at CPs potential for drug delivery. To combat this, research of micelles made of poly (ethyl

glyoxylate) (PEtG)-PEG block copolymers was recently published. Ethyl glyoxylate is created when PEtG depolymerizes, and it is then hydrolyzed to produce ethanol and glyoxylic acid (Zeglio et al., 2019).

Glyoxylic acid is a metabolic intermediate that the liver can handle and should be safe in small doses. It was thought that initiating PEtG degradation would lead to drug erosive release from the PEtG domains and fast drug release, leaving drug-loaded PLA for sustained drug release (Fan, 2018). Due of its quick UV light response, 6-Nitroveratryl carbonate capped PEtG was chosen as the perfect model system.



(a) Depolymerization scheme for PEtG. (b) Chemical structures of the stimuli-responsive and control PEtGs. (Mishra et al., 2022).

Zwitterionic polymers

Additionally, nanoparticles have been created that exhibit a pH-dependent shift in surface charge. Zwitterionic polymers are one of the most often studied systems because they feature cationic and anionic groups that regulate surface charge in response to pH (Blackman et al., 2019). These zwitterionic polymers have a positive charge at an acidic pH and a negative charge in a basic pH. However, these zwitterionic polymers grow more hydrophobic and are generally neutral at neutral pH, with balanced populations of positive and negative components. But once within tumor cells, the equilibrium between positive and negative charges will be upset, leading to conformational changes that make it easier for the medicine to be released (Harijan & Singh, 2022); (Ching et al., 2020).

The carbonized zwitterionic polymer was combined with a photothermal dye (IR 825) to create the nanoparticles. These nanoparticles showed dimming of fluorescence before to aggregating in the tumor location as a result of the hydrophobic interaction with neutral pH and π -stacking (Liu et al., 2013). The release of IR 825 and regained fluorescence were caused by the little pH shift in TME, which allowed the charge of the nanoparticles to be changed. These nanoparticles can be employed for photothermal treatment and diagnostics at the same time (Yang et al., 2019).

Electrochemical potential-responsive nanoparticles

Electrically triggered medication delivery devices have attracted increased interest recently in the context of cancer treatment. Utilizing materials whose dipole moment varies spontaneously or compounds that exhibit redox properties when an external current is introduced might accomplish this. Different electro-responsive materials, such as conducting polymers, metal nanoparticles, and nanocomposites, among others, are used to create electro-responsive drug delivery systems. The pace at which pharmaceuticals are delivered depends on the application and the conductive materials used (Das et al., 2020.; (Ji et al., 2019).

These electric signals may be produced and regulated easily, and they can also be used to induce the release of molecules at the target location in pulse, sustained, or on-demand fashion. Different factors, including charge density, electrodes, electrolyte concentration, hydrophilicity of the electro-responsive material, presence of ionisable molecules in the system, in-vivo pH, and aqueous medium composition, impact the electro-responsiveness (Dong et al., 2019 ; (HADI & ABOOD, 2022). The variation in thin film thickness affects the amount of loaded medicines. When the film is thin, the medication is released more quickly but is held in the film for a shorter period of time (Song et al., 2019). The capacity of a loaded drug will rise if the film thickness is greater, however since it is difficult to release the drug from the inner film, a large electric current must be provided (Puiggali-Jou et al., 2019).

Due to the thin film's volume to surface ratio characteristic, nanoparticles are integrated into it to increase the loading capacity of drugs. Weaver et al. created dexamethasone-loaded polypyrrole nanocomposites using graphene oxide. Due to its great stability, graphene oxide serves as a nanocarrier and increases the amount of drug put into nanocomposite film (Caldas et al., 2020 ; Bansal et al., 2020). The electrical reaction causes the medication to release from the thin nanocomposite layer. Paclitaxel-loaded magnetoelectric nanoparticle ($\text{CoFe}_2\text{O}_4@\text{BaTiO}_3$) was used by Rodzinski et al. as a treatment for ovarian cancer. He showed how some of the nanoparticles detected in the target region compare to a current when d.c current is applied (Chauhan, 2022); (Lakshani Randitha, 2018). Many biological systems already have redox potential gradients in their intracellular and extracellular environments, thus if we use a weak redox conductive substance as a nanocarrier like DDS the efficiency (Casillas-Popova et al., 2022).

NIR light-based photo-responsive materials

Due to its numerous benefits, including its non-invasiveness, high spatial resolution, ability to regulate temperature, convenience, and ease of handling, light is utilized as an external stimulus in a variety of biological applications, including the delivery of drugs (Chen et al., 2021). Systems that use NIR to administer drugs have greater advantages than those that use other stimuli. Because NIR (750–1200 nm) is safer for cells and tissues than UV light and has better tissue penetration, it is a possible carrier for medication delivery to specific sites. In drug delivery systems, NIR light causes a variety of photoreactions, including photoisomerization, photolysis, photocoupling, photopolymerization, and photothermal (Dai et al., 2019).

Two photon absorption, upconverting nanoparticles, and photothermal mechanisms are the key foci of these photoreactions. Drug distribution by photochemical means (PCDD) is reliant on the speed of covalent cleavage caused by NIR light (Wang et al., 2022). PCDD needs enough energy to break covalent bonds, hence this technique

should include molecules that easily break when exposed to NIR light, such as ester, aldehydes, and carboxylic acids. Because of the vibrating action, the photo-thermal response mostly transforms light energy into thermal energy (Dong et al., 2019). The photo-thermal drug delivery system uses a variety of nanomaterials, including carbon-based nanomaterials, metal oxide nanoparticles, grapheme-based nanomaterials, and NIR absorption dyes (Sajjadi et al., 2021). Gold nanoshell-coated betulinic acid liposomes (AuNS-BA-Lips), created by Liu et al., exhibit regulated drug release with a synergistic impact of chemo-therapy and thermal-therapy, and can decrease tumor growth by up to 83.02% (Zhou et al., 2022 ; Abid Ali Baker et al., 2007).

When tested on U-87 MG cancer cells, a nanocomposite comprising spiropyran-functionalized amphiphilic polymers and upconversion nanoparticles (UCNPs) loaded with doxorubicin destroyed 60% of the cancer cells (Jin et al., 2021). Two photon fluorophores with two photon absorption have been reported by Jonas et al. They are suitable for FRET to photoisomerize azobenzene and mesoporous nanosilica and are loaded with the anticancer drug captothecin, which exhibits controlled release by two photon triggered photoisomerization and kills the cancer cells (Raza et al., 2019; Wang et al., 2022).

Nanoparticles-vehicles to target angiogenesis

It deals with the development of fresh blood vessels from older ones. Some tumor forms have a unique characteristic whereby they will not even grow to a size of 2 mm without angiogenesis (Silva et al., 2018). Inflammation, tumor recurrence, a high degree of metastasis, and a shorter life span are all associated with angiogenesis and are caused by the overexpression of angiogenic growth factors in an aberrant condition and the lack of angiogenic inhibitors (Okano et al., 2019).

Anti-angiogenesis treatment is based on the use of either medications that stop the growth of new blood vessels feeding the tumor or drugs that kill the tumor already present (Al-Ostoot et al., 2021 ; Al-Mayahi et al., 2008).

Endostatin, angiostatin, and TNP-470 are examples of NPs coated medications that must either block the stages involved in blood vessel development for tumor growth or destroy already existing blood vessels as part of the NPs directed antiangiogenesis chemotherapeutic mechanism based on delivered NPs (e.g., combretasta) (Liang et al., 2021 ; Baker et al., 2009).

Conclusions and future perspectives

Cancer treatment based on NPs is in its infancy but has a lot of promise. By altering the approach of numerous therapeutic applications, nanotechnology has changed cancer therapy. This created a remarkable relevance for particularly identifying cancer kinds through the delivery of safe and effective systems and the tagging of active chemicals. To get around the drawbacks of traditional chemotherapies, certain formulations based on nanotechnology have been released on the market, and many more are now undergoing clinical studies. To increase a person's chance of survival, active or passive drug delivery devices can avoid the majority of chemotherapy adverse effects. A nanotechnology has also been deeply involved in nanomedicine as a result of the precise information about how NPs-mediated lingering safety problems including toxicity and immune response the prosperous.

Reference

- Yan, S., Zhao, P., Yu, T., & Gu, N. (2019). Current applications and future prospects of nanotechnology in cancer immunotherapy. *Cancer biology & medicine*, 16(3), 486.
- Al-saidi, M. H., & Hadi, W. H. (2022). Review The green method of preparing nanoparticles and its applications in the field of biology. *Al-Kufa University Journal for Biology*, 14(2).
- de Marco, B. A., Rechelo, B. S., Tótolí, E. G., Kogawa, A. C., & Salgado, H. R. N. (2019). Evolution of green chemistry and its multidimensional impacts: A review. *Saudi Pharmaceutical Journal*, 27(1), 1-8.
- Khan, F., Shahid, A., Zhu, H., Wang, N., Javed, M. R., Ahmad, N., ... & Mehmood, M. A. (2022). Prospects of algae-based green synthesis of nanoparticles for environmental applications. *Chemosphere*, 293, 133571.
- Lade, B. D., & Shanware, A. S. (2020). Phytonanofabrication: methodology and factors affecting biosynthesis of nanoparticles. In *Smart Nanosystems for Biomedicine, Optoelectronics and Catalysis*. IntechOpen.
- Sumanth, B., Lakshmeesha, T. R., Ansari, M. A., Alzohairy, M. A., Udayashankar, A. C., Shobha, B., ... & Almatroudi, A. (2020). Mycogenic synthesis of extracellular zinc oxide nanoparticles from *Xylaria acuta* and its nanoantibiotic potential. *International Journal of Nanomedicine*, 15, 8519.
- Chaturvedi, S., & Dave, P. N. (2020). Application of nanotechnology in foods and beverages. In *Nanoengineering in the beverage industry* (pp. 137-162). Academic Press.
- Hassan, E., Al-saidi, M. H., Rana, J. A., & Thahab, S. M. (2022). Preparation and Characterization of ZnO Nano-Sheets Prepared by Different Depositing Methods. *Iraqi Journal of Science*, 538-547.
- Wang, L., Hasanzadeh Kafshgari, M., & Meunier, M. (2020). Optical properties and applications of plasmonic-metal nanoparticles. *Advanced Functional Materials*, 30(51), 2005400.
- Ariga, K. (2021). Nanoarchitectonics: what's coming next after nanotechnology?. *Nanoscale Horizons*, 6(5), 364-378.
- Dastani, M. M., AL-Ali, M. H., & Moradi, M. (2019). Influence of current annealing on the magneto-impedance response of co-based ribbons arising from surface structural improvement. *Journal of Non-Crystalline Solids*, 516, 9-13.
- Aljamali, N. M., Thamer, A. K., & Sabea, A. M. (2021). Review on electronic instruments and its nano-skill solicitations. *Journal of Electrical and Power System Engineering*, 7(3), 11-19.
- Zin, K. K. O., Aung, T., & Kyaw, Z. L. (2021). SYNTHESIS AND CHARACTERIZATION OF NANOSCALE NICKEL OXIDE BY USING MICROWAVE METHOD.
- Wang, Z., Porter, A. L., Kwon, S., Youtie, J., Shapira, P., Carley, S. F., & Liu, X. (2019). Updating a search strategy to track emerging nanotechnologies. *Journal of Nanoparticle Research*, 21(9), 1-21.
- Forestal, R. L., Lee, H. I., Pi, S. M., & Liu, S. H. (2022). Spatio-temporal clustering analysis and technological forecasting of nanotechnology using patent data. *Technology Analysis & Strategic Management*, 1-17.
- Hartshorn, C. M., & Morris, S. A. (2019). Theranostics: A historical perspective of cancer nanotechnology paving the way for simultaneous use applications. In *Nanotheranostics for cancer applications* (pp. 91-105). Springer, Cham.

- Dutta, A., Pan, Y., Liu, J. Q., & Kumar, A. (2021). Multicomponent isorecticular metal-organic frameworks: Principles, current status and challenges. *Coordination Chemistry Reviews*, 445, 214074.
- Guo, L., & Jin, S. (2019). Stable covalent organic frameworks for photochemical applications. *ChemPhotoChem*, 3(10), 973-983.
- Fein, Y., Gome, G., Zuckerman, O., & Erel, H. (2020, June). My first biolab: an inquiry-based learning system for microbiology exploration. In *Proceedings of the 2020 ACM Interaction Design and Children Conference: Extended Abstracts* (pp. 292-295).
- Kaur, P., Singh, S., Ghoshal, G., Ramamurthy, P. C., Parihar, P., Singh, J., & Singh, A. (2022). Valorization of Agri-Food Industry Waste for the Production of Microbial Pigments: An Eco-Friendly Approach. *Advances in Agricultural and Industrial Microbiology*, 137-167.
- Kumar, S., Basumatary, I. B., Sudhani, H. P., Bajpai, V. K., Chen, L., Shukla, S., & Mukherjee, A. (2021). Plant extract mediated silver nanoparticles and their applications as antimicrobials and in sustainable food packaging: A state-of-the-art review. *Trends in Food Science & Technology*, 112, 651-666.
- Huang, W., Ling, S., Li, C., Omenetto, F. G., & Kaplan, D. L. (2018). Silkworm silk-based materials and devices generated using bio-nanotechnology. *Chemical Society Reviews*, 47(17), 6486-6504.
- Thangadurai, D., Sangeetha, J., & Prasad, R. (2020). *Functional bionanomaterials*. Cham: Springer International Publishing.
- Adir, O., Poley, M., Chen, G., Froim, S., Krinsky, N., Shklover, J., ... & Schroeder, A. (2020). Integrating artificial intelligence and nanotechnology for precision cancer medicine. *Advanced Materials*, 32(13), 1901989.
- Riaz, U., Mehmood, T., Iqbal, S., Asad, M., Iqbal, R., Nisar, U., & Masood Akhtar, M. (2021). Historical Background, Development and Preparation of Nanomaterials. In *Nanotechnology* (pp. 1-13). Springer, Singapore.
- Vurro, M., Miguel-Rojas, C., & Pérez-de-Luque, A. (2019). Safe nanotechnologies for increasing the effectiveness of environmentally friendly natural agrochemicals. *Pest management science*, 75(9), 2403-2412.
- Falchi, L., Khalil, W. A., Hassan, M., & Marei, W. F. (2018). Perspectives of nanotechnology in male fertility and sperm function. *International Journal of Veterinary Science and Medicine*, 6(2), 265-269.
- Doubleday, R., & Viseu, A. (2019). Questioning Interdisciplinarity: What roles for laboratory based social science?. In *Nano Meets Macro* (pp. 55-84). Jenny Stanford Publishing.
- Merzbacher, C. (2020). National Nanotechnology Initiative: A Model for Advancing Revolutionary Technologies. In *Women in Nanotechnology* (pp. 121-133). Springer, Cham.
- Fogelberg, H. (2019). Historical Context of the US National Nanotechnology Initiative. In *Nano Meets Macro* (pp. 29-53). Jenny Stanford Publishing.
- Ryzhenkov, A. Y., & Inshakova, E. I. (2019). Formation of Legal, Regulatory, and Informational Basis for Nanoindustry Development in Russia. In *Ubiquitous Computing and the Internet of Things: Prerequisites for the Development of ICT* (pp. 251-263). Springer, Cham.

- Nouri, M. (2022). Oxidation Behavior of Magnetic Hybrid Nanoalloys. In *Handbook of Magnetic Hybrid Nanoalloys and their Nanocomposites* (pp. 1-43). Cham: Springer International Publishing.
- Chen, H., Guo, J., Wang, Y., Dong, W., Zhao, Y., & Sun, L. (2022). Bio-Inspired Imprinting Materials for Biomedical Applications. *Advanced Science*, 2202038.
- Malik, P., & Mukherjee, T. K. (2018). Recent advances in gold and silver nanoparticle based therapies for lung and breast cancers. *International Journal of Pharmaceutics*, 553(1-2), 483-509.
- Khalili, L., Dehghan, G., Sheibani, N., & Khataee, A. (2022). Smart active-targeting of lipid-polymer hybrid nanoparticles for therapeutic applications: Recent advances and challenges. *International Journal of Biological Macromolecules*.
- Pang, X., Li, D., Zhu, J., Cheng, J., & Liu, G. (2020). Beyond antibiotics: photo/sonodynamic approaches for bacterial theranostics. *Nano-micro letters*, 12(1), 1-23.
- Fu, L. H., Hu, Y. R., Qi, C., He, T., Jiang, S., Jiang, C., ... & Huang, P. (2019). Biodegradable manganese-doped calcium phosphate nanotheranostics for traceable cascade reaction-enhanced anti-tumor therapy. *ACS nano*, 13(12), 13985-13994.
- Zhang, P., Guo, Z., Monikh, F. A., Lynch, I., Valsami-Jones, E., & Zhang, Z. (2021). Growing rice (*Oryza sativa*) aerobically reduces phytotoxicity, uptake, and transformation of CeO₂ nanoparticles. *Environmental Science & Technology*, 55(13), 8654-8664.
- Guru Prasad, A. L. (2019). *Formulation Development of Antihypertensive Drug Labetalol HCL Injection* (Doctoral dissertation, CL Baid Metha College of Pharmacy, Chennai).
- Mertins, O., Mathews, P. D., & Angelova, A. (2020). Advances in the design of ph-sensitive cubosome liquid crystalline nanocarriers for drug delivery applications. *Nanomaterials*, 10(5), 963.
- Zhao, S., Sewell, C. D., Liu, R., Jia, S., Wang, Z., He, Y., ... & Lin, Z. (2020). SnO₂ as advanced anode of alkali-ion batteries: inhibiting Sn coarsening by crafting robust physical barriers, void boundaries, and heterophase interfaces for superior electrochemical reaction reversibility. *Advanced Energy Materials*, 10(6), 1902657.
- Shi, W., Yao, Q., Donghui, W., Qu, S., Chen, Y., Lee, K. H., & Chen, L. (2022). Vapor phase polymerization of Ag QD-embedded PEDOT film with enhanced thermoelectric and antibacterial properties. *NPG Asia Materials*, 14(1), 1-8.
- Zhou, J., Fan, X., Wu, D., Liu, J., Zhang, Y., Ye, Z., ... & Qian, J. (2021). Hot-band absorption of indocyanine green for advanced anti-stokes fluorescence bioimaging. *Light: Science & Applications*, 10(1), 1-12.
- Duan, M., Shapter, J. G., Qi, W., Yang, S., & Gao, G. (2018). Recent progress in magnetic nanoparticles: synthesis, properties, and applications. *Nanotechnology*, 29(45), 452001.
- Aslam, M., Abdullah, A. Z., & Rafatullah, M. (2021). Recent development in the green synthesis of titanium dioxide nanoparticles using plant-based biomolecules for environmental and antimicrobial applications. *Journal of Industrial and Engineering Chemistry*, 98, 1-16.
- Dinesha, P., Kumar, S., & Rosen, M. A. (2021). Effects of particle size of cerium oxide nanoparticles on the combustion behavior and exhaust emissions of a diesel engine powered by biodiesel/diesel blend. *Biofuel Research Journal*, 8(2), 1374.

- Hakke, V., Sonawane, S., Anandan, S., Sonawane, S., & Ashokkumar, M. (2021). Process intensification approach using microreactors for synthesizing nanomaterials—A critical review. *Nanomaterials*, 11(1), 98.
- Mertz, D., Harlepp, S., Goetz, J., Bégin, D., Schlatter, G., Bégin-Colin, S., & Hébraud, A. (2020). Nanocomposite polymer scaffolds responding under external stimuli for drug delivery and tissue engineering applications. *Advanced Therapeutics*, 3(2), 1900143.
- He, L., Zheng, R., Min, J., Lu, F., Wu, C., Zhi, Y., ... & Su, H. (2021). Preparation of magnetic microgels based on dextran for stimuli-responsive release of doxorubicin. *Journal of Magnetism and Magnetic Materials*, 517, 167394.
- Dong, P., Rakesh, K. P., Manukumar, H. M., Mohammed, Y. H. E., Karthik, C. S., Sumathi, S., ... & Qin, H. L. (2019). Innovative nano-carriers in anticancer drug delivery-a comprehensive review. *Bioorganic chemistry*, 85, 325-336.
- Liu, Y., Shi, L., Su, L., van der Mei, H. C., Jutte, P. C., Ren, Y., & Busscher, H. J. (2019). Nanotechnology-based antimicrobials and delivery systems for biofilm-infection control. *Chemical Society Reviews*, 48(2), 428-446.
- Nawaz, M., Sliman, Y., & Ercan, I. (2018). Ernandes T. Tenório-Neto[†], Chariya Kaewsaneha[‡], § , Abdelhamid Elaissari[‡]□ Institute for Research and Medical Consultations (IRMC), Imam Abdulrahman Bin Faisal University, Dammam, Saudi Arabia,[†] Department of Chemistry, State University of Ponta Grossa, Ponta Grossa, Paraná, Brazil,[‡] Univ Lyon, University Claude Bernard Lyon-1, CNRS. *Stimuli Responsive Polymeric Nanocarriers for Drug Delivery Applications: Volume 2: Advanced Nanocarriers for Therapeutics*, 37.
- Mikocziova, I., Greiff, V., & Sollid, L. M. (2021). Immunoglobulin germline gene variation and its impact on human disease. *Genes & Immunity*, 22(4), 205-217.
- Cardoso, V. F., Francesko, A., Ribeiro, C., Bañobre-López, M., Martins, P., & Lanceros-Mendez, S. (2018). Advances in magnetic nanoparticles for biomedical applications. *Advanced healthcare materials*, 7(5), 1700845.
- Shrestha, S., Banstola, A., Jeong, J. H., Seo, J. H., & Yook, S. (2022). Targeting Cancer Stem Cells: Therapeutic and diagnostic strategies by the virtue of nanoparticles. *Journal of Controlled Release*, 348, 518-536.
- Zhong, X., Dai, X., Wang, Y., Wang, H., Qian, H., & Wang, X. (2022). Copper-based nanomaterials for cancer theranostics. *Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology*, e1797.
- Singh, R., Sharma, A., Saji, J., Umapathi, A., Kumar, S., & Daima, H. K. (2022). Smart nanomaterials for cancer diagnosis and treatment. *Nano Convergence*, 9(1), 1-39.
- Gulfam, M., Sahle, F. F., & Lowe, T. L. (2019). Design strategies for chemical-stimuli-responsive programmable nanotherapeutics. *Drug discovery today*, 24(1), 129-147.
- Dong, P., Rakesh, K. P., Manukumar, H. M., Mohammed, Y. H. E., Karthik, C. S., Sumathi, S., ... & Qin, H. L. (2019). Innovative nano-carriers in anticancer drug delivery-a comprehensive review. *Bioorganic chemistry*, 85, 325-336.
- Subhan, M. A., & Torchilin, V. P. (2020). siRNA based drug design, quality, delivery and clinical translation. *Nanomedicine: Nanotechnology, Biology and Medicine*, 29, 102239.

- Medici, S., Peana, M., Pelucelli, A., & Zoroddu, M. A. (2021, November). An updated overview on metal nanoparticles toxicity. In *Seminars in Cancer Biology* (Vol. 76, pp. 17-26). Academic Press.
- Tabish, T. A., Dey, P., Mosca, S., Salimi, M., Palombo, F., Matousek, P., & Stone, N. (2020). Smart gold nanostructures for light mediated cancer theranostics: combining optical diagnostics with photothermal therapy. *Advanced Science*, 7(15), 1903441.
- Raj, S., Khurana, S., Choudhari, R., Kesari, K. K., Kamal, M. A., Garg, N., ... & Kumar, D. (2021, February). Specific targeting cancer cells with nanoparticles and drug delivery in cancer therapy. In *Seminars in cancer biology* (Vol. 69, pp. 166-177). Academic Press.
- Tan, Y. Y., Yap, P. K., Lim, G. L. X., Mehta, M., Chan, Y., Ng, S. W., ... & Chellappan, D. K. (2020). Perspectives and advancements in the design of nanomaterials for targeted cancer theranostics. *Chemico-biological interactions*, 329, 109221.
- Dong, P., Rakesh, K. P., Manukumar, H. M., Mohammed, Y. H. E., Karthik, C. S., Sumathi, S., ... & Qin, H. L. (2019). Innovative nano-carriers in anticancer drug delivery-a comprehensive review. *Bioorganic chemistry*, 85, 325-336.
- Zhou, H. M., Zhang, J. G., Zhang, X., & Li, Q. (2021). Targeting cancer stem cells for reversing therapy resistance: Mechanism, signaling, and prospective agents. *Signal transduction and targeted therapy*, 6(1), 1-17.
- Najafi, M., Mortezaee, K., & Majidpoor, J. (2019). Cancer stem cell (CSC) resistance drivers. *Life sciences*, 234, 116781.
- Iannazzo, D., Ettari, R., Giofrè, S., Eid, A. H., & Bitto, A. (2020). Recent advances in nanotherapeutics for multiple myeloma. *Cancers*, 12(11), 3144.
- Iannazzo, D., Ettari, R., Giofrè, S., Eid, A. H., & Bitto, A. (2020). Recent advances in nanotherapeutics for multiple myeloma. *Cancers*, 12(11), 3144.
- Filipczak, N., Yalamarty, S. S. K., Li, X., Parveen, F., & Torchilin, V. (2021). Developments in treatment methodologies using dendrimers for infectious diseases. *Molecules*, 26(11), 3304.
- Tan, Y. Y., Yap, P. K., Lim, G. L. X., Mehta, M., Chan, Y., Ng, S. W., ... & Chellappan, D. K. (2020). Perspectives and advancements in the design of nanomaterials for targeted cancer theranostics. *Chemico-biological interactions*, 329, 109221.
- Dong, P., Rakesh, K. P., Manukumar, H. M., Mohammed, Y. H. E., Karthik, C. S., Sumathi, S., ... & Qin, H. L. (2019). Innovative nano-carriers in anticancer drug delivery-a comprehensive review. *Bioorganic chemistry*, 85, 325-336.
- Soltani, M., Moradi Kashkooli, F., Souri, M., Zare Harofte, S., Harati, T., Khadem, A., ... & Raahemifar, K. (2021). Enhancing clinical translation of cancer using nanoinformatics. *Cancers*, 13(10), 2481.
- Milewska, S., Niemirowicz-Laskowska, K., Siemiaszko, G., Nowicki, P., Wilczewska, A. Z., & Car, H. (2021). Current trends and challenges in pharmaco-economic aspects of nanocarriers as drug delivery systems for cancer treatment. *International journal of nanomedicine*, 16, 6593.
- Montiel Schneider, M. G., Martín, M. J., Otarola, J., Vakarelska, E., Simeonov, V., Lassalle, V., & Nedyalkova, M. (2022). Biomedical Applications of Iron Oxide Nanoparticles: Current Insights Progress and Perspectives. *Pharmaceutics*, 14(1), 204.

- Palanisamy, S., & Wang, Y. M. (2019). Superparamagnetic iron oxide nanoparticulate system: synthesis, targeting, drug delivery and therapy in cancer. *Dalton transactions*, 48(26), 9490-9515.
- Al-Musawi, S., Albukhaty, S., Al-Karagoly, H., Sulaiman, G. M., Jabir, M. S., & Naderi-Manesh, H. (2020). Dextran-coated superparamagnetic nanoparticles modified with folate for targeted drug delivery of camptothecin. *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 11(4), 045009.
- Zhang, P., & Travas-Sejdic, J. (2021). Fabrication of conducting polymer microelectrodes and microstructures for bioelectronics. *Journal of Materials Chemistry C*, 9(31), 9730-9760.
- Fan, B. (2018). Development and applications of polyglyoxylate self-immolative polymers.
- Mishra, B., Biswal, S., Dubey, N. C., & Tripathi, B. P. (2022). Anti (-bio) fouling Nanostructured Membranes Based on the Cross-Linked Assembly of Stimuli-Responsive Zwitterionic Microgels. *ACS Applied Polymer Materials*.
- Harijan, M., & Singh, M. (2022). Zwitterionic polymers in drug delivery: A review. *Journal of Molecular Recognition*, 35(1), e2944.
- Zhang, P., Chen, D., Li, L., & Sun, K. (2022). Charge reversal nano-systems for tumor therapy. *Journal of Nanobiotechnology*, 20(1), 1-27.
- Liu, Y., Yang, K., Cheng, L., Zhu, J., Ma, X., Xu, H., ... & Liu, Z. (2013). PEGylated FePt@ Fe₂O₃ core-shell magnetic nanoparticles: potential theranostic applications and in vivo toxicity studies. *Nanomedicine: Nanotechnology, Biology and Medicine*, 9(7), 1077-1088.
- Yang, Z., Song, J., Tang, W., Fan, W., Dai, Y., Shen, Z., ... & Chen, X. (2019). Stimuli-responsive nanotheranostics for real-time monitoring drug release by photoacoustic imaging. *Theranostics*, 9(2), 526.
- Das, S. S., Bharadwaj, P., Bilal, M., Barani, M., Rahdar, A., Taboada, P., ... & Kyzas, G. Z. (2020). Stimuli-responsive polymeric nanocarriers for drug delivery, imaging, and theragnosis. *Polymers*, 12(6), 1397.
- Ji, D. K., Ménard-Moyon, C., & Bianco, A. (2019). Physically-triggered nanosystems based on two-dimensional materials for cancer theranostics. *Advanced Drug Delivery Reviews*, 138, 211-232.
- Dong, P., Rakesh, K. P., Manukumar, H. M., Mohammed, Y. H. E., Karthik, C. S., Sumathi, S., ... & Qin, H. L. (2019). Innovative nano-carriers in anticancer drug delivery-a comprehensive review. *Bioorganic chemistry*, 85, 325-336.
- HADI, W. H., & ABOOD, A. H. (2022). Effect of ibuprofen on histological parameters of the liver in male albino rats. *Iranian Journal of Ichthyology*, 9, 234-240.
- Song, C., Ben-Shlomo, G., & Que, L. (2019). A multifunctional smart soft contact lens device enabled by nanopore thin film for glaucoma diagnostics and in situ drug delivery. *Journal of Microelectromechanical Systems*, 28(5), 810-816.
- Puiggalí-Jou, A., Del Valle, L. J., & Alemán, C. (2019). Drug delivery systems based on intrinsically conducting polymers. *Journal of Controlled Release*, 309, 244-264.
- Caldas, M., Santos, A. C., Rebelo, R., Pereira, I., Veiga, F., Reis, R. L., & Correlo, V. M. (2020). Electro-responsive controlled drug delivery from melanin nanoparticles. *International Journal of Pharmaceutics*, 588, 119773.

- Bansal, M., Dravid, A., Aqrave, Z., Montgomery, J., Wu, Z., & Svirskis, D. (2020). Conducting polymer hydrogels for electrically responsive drug delivery. *Journal of Controlled Release*, 328, 192-209.
- Lakshani Randitha, G. L. (2018). Poly-Lactic Acid Magnetolectric Microspheres for Drug Release Applications.
- Chauhan, P. (2022). Nanodevices for the Detection of Cancer Cells. In *Smart Nanodevices for Point-of-Care Applications* (pp. 169-188). CRC Press.
- Casillas-Popova, S. N., Bernad-Bernad, M. J., & Gracia-Mora, J. (2022). Modeling of adsorption and release kinetics of methotrexate from thermo/magnetic responsive CoFe₂O₄–BaTiO₃, CoFe₂O₄–Bi₄Ti₃O₁₂ and Fe₃O₄–BaTiO₃ core-shell magnetolectric nanoparticles functionalized with PNIPAm. *Journal of Drug Delivery Science and Technology*, 68, 103121.
- Chen, Y., Chen, N., & Feng, X. (2021). The role of internal and external stimuli in the rational design of skin-specific drug delivery systems. *International Journal of Pharmaceutics*, 592, 120081.
- Dai, Y., Chen, X., & Zhang, X. (2019). Recent advances in stimuli-responsive polymeric micelles via click chemistry. *Polymer Chemistry*, 10(1), 34-44.
- Wang, Z., Yang, Z., Fang, R., Yan, Y., Ran, J., & Zhang, L. (2022). A State-of-the-art review on action mechanism of photothermal catalytic reduction of CO₂ in full solar spectrum. *Chemical Engineering Journal*, 429, 132322.
- Dong, P., Rakesh, K. P., Manukumar, H. M., Mohammed, Y. H. E., Karthik, C. S., Sumathi, S., ... & Qin, H. L. (2019). Innovative nano-carriers in anticancer drug delivery-a comprehensive review. *Bioorganic chemistry*, 85, 325-336.
- Sajjadi, M., Nasrollahzadeh, M., Jaleh, B., Soufi, G. J., & Iravani, S. (2021). Carbon-based nanomaterials for targeted cancer nanotherapy: Recent trends and future prospects. *Journal of Drug Targeting*, 29(7), 716-741.
- Abid Ali Baker, H., Abdul AlRudah, T., & Hassan Hady, M. (2007). Estimation of entrance skin exposure for patients undergoing fluoroscopic examination in extracorporeal shockwave lithotripsy (ESWL). *journal of kerbala university*, 3(4), 173-176.
- Zhou, T., Wu, L., Ma, N., Tang, F., Chen, J., Jiang, Z., ... & Zong, Z. (2022). Photothermally responsive theranostic nanocomposites for near-infrared light triggered drug release and enhanced synergism of photothermo-chemotherapy for gastric cancer. *Bioengineering & Translational Medicine*, e10368.
- Raza, A., Hayat, U., Rasheed, T., Bilal, M., & Iqbal, H. M. (2019). “Smart” materials-based near-infrared light-responsive drug delivery systems for cancer treatment: a review. *Journal of Materials Research and Technology*, 8(1), 1497-1509.
- Wang, Y., Zhang, Y., Zhang, X., Zhang, Z., She, J., Wu, D., & Gao, W. (2022). High Drug-Loading Nanomedicines for Tumor Chemo–Photo Combination Therapy: Advances and Perspectives. *Pharmaceutics*, 14(8), 1735.
- Silva, C. R., Babo, P. S., Gulino, M., Costa, L., Oliveira, J. M., Silva-Correia, J., ... & Gomes, M. E. (2018). Injectable and tunable hyaluronic acid hydrogels releasing chemotactic and angiogenic growth factors for endodontic regeneration. *Acta biomaterialia*, 77, 155-171.
- Al-Mayahi, A. A. H., Amin Al Joher, D., Hassan Hadi, M., & Jalyl Ahmed, R. (2008). Radioactivity level measurement of some cement samples. *journal of kerbala university*, 4(4), 81-86.



Al-Ostoot, F. H., Salah, S., Khamees, H. A., & Khanum, S. A. (2021). Tumor angiogenesis: Current challenges and therapeutic opportunities. *Cancer Treatment and Research Communications*, 28, 100422.

Liang, P., Ballou, B., Lv, X., Si, W., Bruchez, M. P., Huang, W., & Dong, X. (2021). Monotherapy and combination therapy using anti-angiogenic nanoagents to fight cancer. *Advanced Materials*, 33(15), 2005155.

Baker, H. A. A., & Hady, M. H. (2009). Assessment of skin radiation exposure for pediatrics examined by routine X-ray. *Journal of Kerbala University*, 7(2).