# ON COMPLETELY PRIME IDEAL WITH RESPECT TO AN ELEMENT OF A NEAR RING

المثالية الأولية التامة بالنسبة إلى عنصر في الحلقة القريبة

Assist.prof. Husein Hadi Abbass
University of Kufa\
College of Education for girls\
Department of Mathematics
Msc\_hussien@yahoo.com

Mohanad Ali Mohammed
University of Kufa\
College of Education for girls\
Department of Mathematics
Mohnad974@yahoo.com

#### **Abstract**

In this paper , we introduce the notions of completely prime ideal with respect to an element x denoted By (x-C.P.I) of a near ring and the completely prime ideals near ring with respect to an element x.

Also we study the image and inverse image of x-C.P.I under epimomorphism and the direct product of x-C.P.I near ring are studied, and some types of ideals that becomes (x-C.P.I) of a near ring, and the Relationships between the completely prime ideal with respect to an element x of a near ring N and some other types of ideals.

### المستخلص:

قدمنا في هذا البحث مفهومين جديدين هما المثالية الأولية التامة بالنسبة لعنصر في الحلقة القريبة والذي يرمز لها (x-1) وايضا حلقة المثاليات التامة القريبة بالنسبة لعنصر (x-1) كما درسنا الصور المباشرة ومعكوس الصور للمثالية (x-1) تحت التشاكل الشامل وحاصل الضرب الديكارتي لحلقات المثاليات التامة القريبة بالنسبة لعنصر (x-1) والعلاقة بين المثالية الأولية التامة بالنسبة لعنصر في الحلقة القريبة وبعض أنواع المثاليات الآخرى .

#### INTRODUCTION

In 1905 L.E Dickson began the study of near ring and later 1930 Wieland has investigated it .Further, material about a near ring can be found [3]. In 1970 W. L. M. Holcombe was introducing the notions of (0, 1, 2)-prime ideals of a near ring [14]. In 1977 G. Pilz, was introducing the notion of prime ideals of a near ring [3]. In 1988 N.J.Groenewald was introducing the notions of completely (semi) prime ideals of a near ring [8]. In 1990 G. L. Booth, N.J.Groenewald and S. veldsan was introducing the notions of equiprime ideals of a near ring [1]. In 1991 N.J.Groenewald was introducing the notions of 3-(semi) prime ideals of a near ring [9]. In 2011, H.H.abbass, S.M.Ibrahem introduced the concepts of a completely semi prime ideal with respect to an element of a near ring and the completely semi prime ideals near ring with respect to an element of a near ring [5].

### 1.PRELIMINARIES

In this section we give some basic concepts that we need in the second section.

### <u>Definition (1.1) [3]</u>

A left near ring is a set N together with two binary operations "+" and "." such that

- (1) (N,+) is a group (not necessarily abelian),
- (2) (N, .) is a semi group,
- $(3)(n_1 + n_2) \cdot n_3 = n_1 \cdot n_3 + n_2 \cdot n_3$ , for all  $n_1, n_2, n_3 \in \mathbb{N}$ .

### Definition (1.2) [13]

A subgroup N of a group G is said to be anormal subgroup of G if for every  $g \in G \text{ and } n \in N, gng^{-1} \in N \text{ or equivalently if by } gNg^{-1} \text{ we mean the set of all } gng^{-1}, n \in N \text{ then N is a normal subgroup of G if and only if } gNg^{-1} \in N \text{ for every } g \in G.$ 

N is a normal subgroup of G if and only if  $gNg^{-1} = N$  for every  $g \in G$ 

### Definition (1.3) [4]

Let (N,+,.) be a near-ring. Anormal subgroup I of (N,+) is called a left deal of N if (1) I.N  $\subseteq$  I.

(2)  $\forall$  n,  $n_1 \in \mathbb{N}$  and for all  $i \in I$ ,  $n.(n_1 + i) - n.n_1 \in I$ .

### Remark (1.4)

We will refer that all near rings and ideals in this paper are left.

### Definition (1.5) [8]

An ideal I of a near ring N is called a completely semi prime ideal (C.S.P.I) of a near ring N , if  $x^2 \in I$  implies  $x \in I$  for all  $x \in N$ .

### Remark (1.6) [13]

Let I be an ideal of a near ring N.Then the Factor near ring N/I is defined as in case of rings.

#### Definition (1.7) [8]

Let I be an ideal of a near ring N. Then I is called a completely prime ideal of N if  $\forall x,y \in N$ ,  $x.y \in I$  implies  $x \in I$  or  $y \in I$ , denoted by C.P.I of N.

### Definition (1.8) [5]

Let N be a near ring and  $x \in N$ . Then I is called a completely semi prime ideal with respect to an element x denoted by (x-C.S.P.I) or (x-completely semi prime ideal) of N if for all  $y \in N$ ,  $x.y^2 \in I$  implies  $y \in I$ .

#### Definition (1.9) [5]

The near ring N is called x- completely semi prime ideal near ring and is denoted by (x-C.S.P.I near ring ), if every ideal of a near ring N is x-C.S.P.I of N.

#### Definition (1.10) [14]

An ideal I of a near-ring N is called a 0-prime ideal if for every ideals A,B of N such that A.B  $\subseteq$  I implies A  $\subseteq$  I or B  $\subseteq$  I.

### Definition (1.11) [14]

An ideal I of a near-ring N is called a 1-prime ideal if for every left ideals A,B of N such that A.B  $\subseteq$  I implies A  $\subseteq$  I or B  $\subseteq$  I.

### Definition (1.12) [14]

An ideal I of a near-ring N is called a 2-prime ideal if for every subgroups A,B of N such that A.B  $\subseteq$  I implies A  $\subseteq$  I or B  $\subseteq$  I.

### <u>Definition (1.13) [9]</u>

An ideal I of a near-ring N is called a 3-prime ideal if for all a,  $b \in N$ , aNb  $\subseteq I$  implies  $a \in I$  or  $b \in I$ .

### <u>Definition (1.14) [9]</u>

Let I be an ideal of a near ring N is called a 3-semiprime ideal if for  $a \in N$ ,  $aNa \subseteq I$  implies  $a \in I$ .

#### Corollary (1.15)

Every 3-prime ideal of a near ring N is a 3-semi prime.

#### Proof:

Let I be a 3-prime ideal of N and  $a \in N$  such that

 $aNa \subset I$ 

 $\therefore$  a  $\in$  I [Since I is a 3-prime ideal of N by definition(1.13)]

∴ I is a 3-semi prime ideal of N. [By definition (1.14)]

#### Definition (1.16) [1]

An ideal I of a near-ring N is called equiprime ideal, if  $a \in N \setminus I$  and  $x, y \in N$  such that anx – any  $\in I$  for all  $n \in N$ , then  $x - y \in I$ .

#### Remark(1.17) [12]

I is completely prime  $\Rightarrow$  I is 3-prime  $\Rightarrow$  I is 2-prime, and

I is 1-prime  $\Rightarrow$  I is 0-prime and I is 2-prime  $\Rightarrow$  I is 1-prime

### Remark (1.18) [3]

If the zero ideal of N is v-prime (v = 0, 3, completely, equi), then N is called a v-prime near-ring.

#### Remark (1.19) [11]

An ideal I of N is called left (right) symmetric if  $x.y.z \in I$  implies  $y.x.z \in I$   $(x.z.y \in I)$ . Definition (1.20) [13]

Let  $\{N_i\}_{i\in J}$  be a family of near rings, J is an index set and

 $\prod_{i \in I} N_j = \{ (x_j) : x_j \in N_j \text{, for all } j \in J \} \text{ be the directed product of } N_j \text{ with the }$ 

component wise defined operations '+' and '.', is called the direct product near ring of the near rings  $N_{\rm i}$  .

### <u>Definition (1.21) [2]</u>

If  $I_1$  and  $I_2$  are ideals of a near ring N then  $I_1 \cdot I_2 = \{ i_1 \cdot i_2 : i_1 \in I_1, i_2 \in I_2 \}$ .

### Definition (1.22) [13]

A near ring N is called an integral domain if N has non-zero divisors.

### Definition (1.23) [6]

Let (  $N_1$ , +,.) and (  $N_2$ , +',.') be two near-rings. The mapping

 $f: N_1 \rightarrow N_2$  is called a near-ring homomorphism if for all m,  $n \in N_1$ 

$$f(m + n) = f(m) + f(n)$$
 and  $f(m, n) = f(m) \cdot f(n)$ .

### Theorem (1.24) [7]

Let  $f:(N_1,+,.) \rightarrow (N_2,+',.')$  is a homomorphism

- (1) If I is an ideal of a near ring  $N_1$ , then f(I) is an ideal of a near ring  $N_2$ .
- (2) If J is an ideal of a near ring  $N_2$ , then  $f^{-1}(J)$  is an ideal of a near ring  $N_1$ .

### Definition (1.25) [10]

An ideal I, of near ring N is said to be prime ideal if for any two ideals  $I_1$ ,  $I_2$  of N such that  $I_1$ .  $I_2 \subset I$  then  $I_1 \subset I \vee I_2 \subset I$ .

#### 2. The main result:

In this section we introduce the concepts of a completely prime ideal with respect to an element x and completely prime ideals near ring with respect to an element x.

### Definition (2.1):

Let N be a near ring ,I is an ideal of N and  $x \in N$ . Then I is called a completely prime ideal with respect to an element x denoted By (x-C.P.I) or (x-completely prime ideal ) of N if for all  $y,z \in N$ ,  $x,y,z \in I$  implies  $y \in I$  or  $z \in I$ .

### Example (2.2) :

Consider the near ring  $N = \{0,a,b,c\}$  with addition and multiplication defined By the following tables .

+	0	a	b	С
0	0	a	b	С
a	a	0	С	b
b	b	С	0	a
С	С	b	a	0

•	0	a	b	С
0	0	0	0	0
a	0	a	a	0
b	0	a	b	С
С	0	0	С	С

The ideal  $I = \{0,a\}$  is a completely prime ideal of the near ring N, I is c - C.P.I of a near ring N, but it is not a-C.P.I, of a near ring N. Since  $a.(b.c) = 0 \in I$  but  $b \notin I \land c \notin I$ .

### Proposition (2.3):

Let N be a near ring and  $x \in N$ . Then every completely prime ideal with respect to an element x of N is completely semi prime ideal with respect to an element x.

#### Proof:

Let I be a 
$$x$$
 – C.P.I and  $y \in N$  such that  $x \cdot y^2 \in I$ , 
$$x \cdot y^2 = x \cdot y \cdot y \in I$$
 
$$\Rightarrow y \in I \qquad \qquad [ \text{ Since I is } x - \text{C.P.I by definition (2.1) } ]$$
 
$$\Rightarrow I \text{ is } x - \text{C.S.P.I of } N \qquad \qquad [ \text{By definition (1.8) } ]$$

### Remark (2.4) :

The Converse of the proposition (2.3) may be not true as in the following example.

### Example (2.5) :

Consider the near ring  $N = \{\ 0\ , a\ , b\ , c\ \}$  with addition and multiplication defined By the following tables .

+	0	a	b	С
0	0	a	b	c
a	a	0	С	b
b	b	С	0	a
С	С	b	a	0

•	0	a	b	c
0	0	0	0	0
a	0	a	b	c
b	0	0	0	0
С	0	0	b	С

The ideal  $I = \{0, b\}$  is a a-C.S.P.I of near ring N, Since  $a. (0)^2 = 0 \in I \Rightarrow 0 \in I$ ,  $a. (b)^2 = 0 \in I \Rightarrow b \in I$ , But I is not a-C.P.I of near ring, Since  $a. (c.a) = a. (0) = 0 \in I$  but  $c \notin I$  and  $a \notin I$ .

### Proposition (2.6):

If I is a left symmetric ideal of a near ring N ,then I is a 3-prime ideal of a near ring N if and only if I is a x-C.P.I of N for all  $x \in N$ .

### Proof:

 $\Rightarrow$ 

Let  $y,z \in N$  and  $x \in N$  such that  $x.(y.z) \in I$ ,  $x.(y.z) = y.(x.z) \in I$  [Since I a left symmetric by definition(1.17)]  $\therefore y.N.z \subseteq I \Rightarrow y \in I$  or  $z \in I$  [Since I is a 3-prime by definition(1.13)]  $\therefore$  I is a x-C.P.I of N for all  $x \in N$  . [By definition(2.1)]  $\leftarrow$  Let  $y,z \in N$  such that  $y.N.z \subseteq I$ ,  $\therefore y.(x.z) \in I \quad \forall x \in N$   $\therefore x.(y.z) \in I \quad [Since I is a left symmetric by definition(1.17)] <math>\therefore y \in I$  or  $z \in I$  [Since I is a x-C.P.I of N by definition(2.1)]  $\therefore$  I is a 3-prime ideal of N . [By definition(1.13)]

### <u>Theorem (2.7):</u>

If I is a left symmetric ideal of a near ring N ,then I is an equiprime ideal of N if and only if I is an x-C.P.I of N for all  $x \in N$ .

#### Proof:

 $\Rightarrow$ 

Let  $y,z \in N$  and  $x \in N$  such that

 $x.y.z \in I$ 

 $x.y.z = x.y.z - x.y.0 \in I$ 

∴ I is a x-C.P.I of N

 $\therefore$  z-0=z  $\in$  I [Since I is a equiprime by definition(1.16)]

[By definition(2.1)]

[By definition(1.16)]

 $\Leftarrow$ 

Let  $x,y,z \in N$  and  $a \in N \setminus I$  such that

 $a.x.y-a.x.z \in I$ 

a.x.y-a.x.z=a.x.(y-z)=x.a.(y-z) [Since I is a left symmetric by definition(1.17)]  $\therefore$  (y-z)  $\in$  I [Since I is a x-C.P.I and a  $\notin$  I by definition(2.1)]

∴ I is a equiprime ideal of N.

### Corollary (2.8):

Every x-C.P.I a left symmetric ideal of a near ring N is a v-prime ideal of N (v=0,1,2) ,for all x  $\in$  N .

### <u>Proof</u>:

Let I be a x-C.P.I left symmetric ideal of N ,where  $x \in N$ 

∴ I is a 3-prime ideal of N [By proposition (2.6)]

 $\therefore$  I is a v-prime ideal of N. (v=0,1,2) [By remark (1.17)]

### Corollary (2.9):

Every a 3-prime left symmetric ideal is a x-C.S.P.I of N , for all  $x \in N$ .

#### Proof:

Let I is a left symmetric and a 3-prime ideal,

∴ I is a x-C.P.I of N [By proposition (2.6)]

 $\Rightarrow$  I is a x-C.S.P.I of N [By proposition (2.3)]

### Remark (2.10):

The Converse of the corollary (2.9) may be not true as in the following example.

### Example (2.11):

Consider the near ring N in example (2.5), the left symmetric ideal  $I = \{0,b\}$  is a-C.S.P.I of N.

But I is not a-C.P.I of N

Since  $a.(c.a)=a.(0)=0 \in I$  but  $c \notin I$  and  $a \notin I$ .

 $\Rightarrow$  I is not 3-prime ideal of N. [By proposition (2.6)]

### Corollary (2.12):

Every a equiprime ideal of a near ring N is a x-C.S.P.I of N.

### Proof:

Let I is an equiprime ideal of a near ring N,

 $\therefore$  I is a x-C.P.I of N [By proposition (2.7)]

∴ I is a x-C.S.P.I of N [By proposition (2.3)]

### Remark (2.13):

The Converse of the corollary (2.12) may be not true as in the following example.

### Example (2.14):

Consider the near ring N in example (2.5), the left symmetric ideal  $I = \{0,b\}$ , is a-C.S.P.I of N. But I is not a-C.P.I of N

Since a.(c.a)=a.(0)= $0 \in I$  but  $c \notin I$  and  $a \notin I$ .

 $\Rightarrow$  I is not equiprime ideal of N.

[By proposition (2.7)]

### Definition (2.15):

The near ring N is called x- completely prime ideals near ring and is denoted by (x-C.P.I near ring ), if every ideal of a near ring N is x-C.P.I of N, where  $x \in N$ .

### Example (2.16):

Consider the near ring  $N = \{\ 0\ , a\ , b\ , c\ , d\ , e\ \}$  with addition and multiplication defined by the following tables .

+	0	a	b	c	d	e
0	0	a	b	c	d	e
a	a	b	c	d	e	0
b	b	c	d	e	0	a
c	c	d	e	0	a	b
d	d	e	0	a	b	c
e	e	0	a	b	c	d

	0	a	b	c	d	e
0	0	0	0	0	0	0
a	c	a	e	c	a	e
b	0	b	d	0	b	d
c	c	c	c	c	c	c
d	0	d	b	0	d	b
e	c	e	e	c	e	a

The ideals of N are  $I_1=N$ ,  $I_2=\{0\}$  and  $I_3=\{0,c\}$  are a-C.P.I of N Since  $\forall y,z\in N$ , a.y.  $z\in N$  implies  $y\in I_i$  or  $z\in I_i$  and  $i\in\{1,2,3\}$  then N is a-C.P.I near ring

### Proposition (2.17):

Every ideal of a x-C.P.I near ring is a x-C.S.P.I of N.

### Proof:

Let I is ideal of a x-C.P.I near ring,

 $\therefore$  I is a x-C.P.I of N [By definition (2.15)]  $\Rightarrow$  I is a x-C.S.P.I of N [By proposition (2.3)]

### Proposition (2.18):

If N is a x-C.P.I near ring, then N is a x-C.S.P.I near ring.

### Proof:

Let N is a x-C.P.I near ring,

 $\Rightarrow$  every ideal of N is a x-C.S.P.I of N, [By proposition (2.17)]  $\therefore$  N is a x-C.S.P.I near ring . [By definition (1.9)]

### Remark (2.19):

The Converse of the proposition (2.18) may be not true as in the following example.

### Example (2.20):

Consider the near ring  $N = \{0,a,b,c\}$  with addition and multiplication defined by the following tables .

+	0	a	b	С
0	0	a	b	С
a	a	0	С	b
b	b	С	0	a
С	С	b	a	0

•	0	a	b	c
0	0	0	0	0
a	a	a	a	a
b	0	a	b	С
С	a	0	С	b

The ideals of N are  $I_1=\{0,a\}$  ,  $I_2=N$  ,  $I_3=\{0\}$  are b - C.S.P.I of N since  $\forall$   $y \in N$  ,  $b \in N$  ,  $b \cdot y^2 \in I_i$  implies  $y \in I_i$  and  $i \in \{1,2,3\}$  then N is b-C.S.P.I near ring.

But  $I_3$  is not b-C.P.I since b.c.a= $0 \in I_3$  implies  $c \notin I_3$  and  $a \notin I_3$ , then N is not

b-C.P.I near ring.

### Proposition (2.21):

Every a left symmetric ideal of a x-C.P.I near ring is a 3-prime ideal of N ,where  $x \in N$ .

### Proof:

Let I be a left symmetric ideal of a x-C.P.I near ring,

- ∴ I is a x-C.P.I of N [By definition (2.15)]
- $\Rightarrow$  I is a 3-prime ideal of N [Since I is a left symmetric by proposition (2.6)]

### Proposition (2.22):

Every left symmetric ideal of a x-C.P.I near ring is a 3-simeprime ideal of N, where  $x \in N$ .

### Proof:

Let I be a left symmetric ideal of a x-C.P.I near ring,

- $\Rightarrow$  I is a x-C.P.I of N [By definition (2.15)]
- $\Rightarrow$  I is a 3-prime ideal of N [Since I is a left symmetric by

proposition (2.6)]

 $\Rightarrow$  I is a 3-simeprime ideal of N [By corollary (1.15)]

### Proposition (2.23):

Every a left symmetric ideal of a x-C.P.I near ring is a v-prime ideal of N (v=0,1,2).

#### Proof:

Let I is a left symmetric ideal of a x-C.P.I near ring,

- $\Rightarrow$  I is a x-C.P.I of N [By definition (2.15)]
- $\Rightarrow$  I is a 3-prime ideal of N [Since I is a left symmetric by proposition

(2.6)]

 $\Rightarrow$  I is a v-prime ideal of N (v=0,1,2). [By remark (1.17)]

### Corollary (2.24):

Every left symmetric ideal of a x-C.P.I near ring is a equiprime ideal of N ,where  $x\!\in N$  .

#### Proof:

Let I is a left symmetric ideal of a x-C.P.I near ring,

- $\Rightarrow$  I is a x-C.P.I of N [By definition (2.15)]
- $\Rightarrow$  I is a equiprime ideal of N [Since I is a left symmetric by

proposition(2.7)]

#### Proposition (2.25):

Let  $x\in N$  and  $\{I_j\}_{j\in J}$  be a family of x-C.P.I of a near ring N for all  $j\in J$ . Then  $\bigcap_{j\in J}\ I_j\ \text{ is a }\ x\text{-C.P.I }.$ 

### Proof:

Let  $y,z\in N$  such that  $x.(y.z)\in\bigcap_{j\in J}I_j$ , this implies  $x.(y.z)\in Ij\ ,\forall j\in J$   $\Rightarrow y\in Ij\ or\ z\in Ij,\ \forall\ j\in J\ [Since\ each\ Ij\ is\ a\ x-C.P.I\ \forall j\in J]$   $\bigcap_{j\in J}I_j\quad or\quad z\in I_j$ 

$$\Rightarrow \quad \bigcap_{I \in \mathcal{I}} \ I_j \quad \text{ is a x-C.P.I of N }. \qquad \qquad [\text{By definition (2.1)}]$$

### Remark (2.26):

Let  $\{\ I_j\}_{j\in J}$  be a chain of ideals of near ring N , then  $\bigcup_{j\in J}I_j$  is an ideal of near ring N .

### Proposition (2.27):

 $\{I_j\}_{j\in J}$  be chain of x- C. P . I of near ring N . Then  $\bigcup_{j\in J}I_j$  is x-C.P.I of near ring N,where  $x\in N$ . Proof:

let  $\{Ij\}j \in J$  be chain of x- C.P.I of near ring

 $x.(y.z) \in \bigcup_{j \in J} I_j$  then there exist  $I_k \in \{I_j\}_{j \in J}$  such that

 $x.(y.z) \in I_k$ 

 $\Rightarrow y \in I_k \text{ or } z \in I_k$  [ Since  $I_k$  is x-C.P.I of N ]

 $\Rightarrow \!\! y \in \bigcup_{j = j} \, I_j \, \text{or} \, z \! \in \bigcup_{j \in j} \, I_j$ 

 $\Rightarrow \bigcup_{i \in I_j} \ \text{ is x- C.P.I of N }. \qquad \qquad [\text{By definition (2.1)}]$ 

### Remark (2.28):

If  $I_1$  and  $I_2$  be two x-C.P.I of a near ring N then the ideal  $I_1 cdot I_2$  of N may be not x-C.P.I

### Example (2.29) :

Consider the near ring  $N=\{\ 0,a,b,c\}$  with addition and multiplication defined By the following tables .

+	0	a	b	С
0	0	a	b	С
a	a	0	С	b
b	b	С	0	a
С	С	b	a	0

•	0	a	b	С
0	0	0	0	0
a	0	a	0	a
b	0	0	b	b
С	0	a	b	С

The ideals  $I_1 = \{0,b\}$  and  $I_2 = \{0,a\}$  are c-completely prime ideal of a near ring N.

 $I_1.I_2 = \{0\}$  is not c-completely prime ideal of the near ring N

[ Since  $c.(a.b) = c.0 = 0 \in I_1.I_2$  but  $a \notin I_1.I_2$  and  $b \notin I_1.I_2$  ]

### Proposition (2.30):

Let N be a near ring with multiplicative identity  $e^{'}$  then I is  $e^{'}$  - C.P.I of the near ring N if and only if I is a C.P.I of N .

### **Proof**:

 $\Rightarrow$ 

let I be an e'- C.P.I of N and

 $y,z \in N$  such that  $y,z \in I$ 

 $y.z=e'.y.z \in I$ 

then  $y \in I$  or  $z \in I$  [Since I is e - C.P.I].

 $\therefore$  I is C.P.I of N . [By definition (1.7)]

To prove I is e'- C.P.I. Let I be a C.P.I of N and  $y,z \in N$  such that

$$e'.y.z \in I \Rightarrow y.z \in I$$
 then  $y \in I$  or  $z \in I$  [Since I is C.P.I by definition (1.7)]  $\therefore$  I is  $e'$  - C.P.I of N . [By definition (2.1)]

### Remark (2.31):

In general not all C.P.I of a near ring N are x- C.P.I of a near ring for all  $x \in N$  as in the following example .

### Example (2.32) :

Consider the near ring  $N = \{0,a,b,c\}$  with addition and multiplication defined By the following tables .

+	0	a	b	С
0	0	a	b	С
a	a	0	С	b
b	b	С	0	a
С	С	b	a	0

•	0	a	b	c
0	0	0	0	0
a	0	a	a	0
b	0	a	b	С
С	0	0	С	С

The ideal  $\ I=\{0,a\}$  is C.P.I of the near ring N , but it is not a- C.P.I of a near ring N. Since a.(b.c)=0  $\in$  I but b  $\notin$  I and c  $\notin$  I .

### Proposition (2.33):

If N is a non zero near ring and  $I=\{0\}$  then I is not 0-C.P.I of the near ring N.

### **Proof:**

Suppose I is 0 -C.P.I of N , Since N $\neq$ {0} . Then there exist y,z $\in$ N such that y $\neq$ 0,z $\neq$ 0  $\Rightarrow$ 0.(y.z)=0 $\in$ I

```
\Rightarrow y \in I or z \in I [Since I is 0-C.P.I by definition(2.1)] 
 \Rightarrow y = 0 or z =0 and this contradiction [Since y\neq0 and z\neq0] 
 \Rightarrow I is not 0-C.P.I of N.
```

### Proposition (2.34):

let I be nontrivial ideal of the near ring N then I is not 0-C.P.I of N.

### **Proof:**

Suppose I is 0 - C.P.I of N and let  $y \in N$ ,  $\Rightarrow 0.(y.y)=0 \in I$   $\Rightarrow y \in I$  [Since I is 0- C.P.I of N]  $\Rightarrow N \subseteq I$ 

this contradiction [Since  $I \subseteq N$ ]  $\Rightarrow I$  is not 0- C.P.I of N .

### Proposition (2.35):

Let  $N_1$  and  $N_2$  be two near ring ,  $f:N_1\to N_2$  be epimomorphism and  $I\ \ \text{be}\quad x\text{-C.P.I}\quad \text{of }N_1\ \ . \text{Then }f(I\ )\ \text{is }f(x)\text{-C.P.I}\quad \text{of }N_2\ \ .$ 

### **Proof:**

Let I be x- C.P.I of  $N_1$ ,

we have  $f(I) = \{ f(i) : i \in I \}$  is an ideal of  $N_2$ . [By theorem (1.24)]

To proof f(I) is a f(x)-C.P.I of  $N_2$ .

Let  $c,v \in N_2$  such that  $f(x).(c.v) \in f(I)$ 

f(x).(c.v)=f(x).(f(y).f(z))

f(x).(f(y).f(z)) = f(x).(f(y.z))

f(x).(f(y.z))=f(x.y.z)

Where c=f(y), v=f(z) and  $y,z \in N_1$ , [Since f is an epimomphism]

 $x.(y.z) \in I \Rightarrow y \in I \text{ or } z \in I$  [Since I is x-C.P.I of N<sub>1</sub> by definition(2.1)]

 $\Rightarrow$ c= $f(y) \in f(I)$ ,  $v=f(z) \in f(I)$ 

 $\Rightarrow$  f(I) is a f(x)-C.P.I of  $N_2$ . [By definition(2.1)]

### Proposition (2.36):

Let  $N_1$  and  $N_2$  be two near rings, and  $f: N_1 \to N_2$  be epiomomorphism and J be a y-C.P.I of  $N_2$ . Then  $f^{-1}(J)$  is a x-C.P.I of  $N_1$  where y=f(x), Ker  $f \subset f^{-1}(J)$ .

### Proof:

 $f^{-1}(J) = \{ x \in N_1 : f(x) \in J \}$  is an ideal of the near ring  $N_1$  [By theorem(1.24)] let  $z, u \in N_1$  such that  $x.(z, u) \in f^{-1}(J) \Rightarrow f(x.(z, u)) \in J$ 

 $f(\mathbf{x}).f(\mathbf{z}.\mathbf{u}) \in \mathbf{J} \Rightarrow f(\mathbf{x}).f(\mathbf{z}).f(\mathbf{u}) \in \mathbf{J}$ 

 $\Rightarrow$  y. $f(z).f(u) \in J$ 

 $\Rightarrow f(z) \in J \text{ or } f(u) \in J$  [Since J is y-C.P.I of  $N_2$  by definition(2.1)]

 $\Rightarrow$  z  $\in$   $f^{-1}(J)$  or  $u \in f^{-1}(J)$ 

 $\Rightarrow f^{-1}(J)$  is x-C.P.I of N<sub>1</sub> [By definition(2.1)]

### Proposition (2.37):

If N is a near ring integral domain, then  $\{0\}$  is x-C.P.I for all  $x \in N \setminus \{0\}$ .

### Proof:

Let  $y,z \in N, x.(y.z) \in \{0\}$ 

 $\Rightarrow$  x.(y.z)= 0.

 $\Rightarrow$  (y.z)= 0 [Since N is integral domain and  $x \neq 0$  by definition(1.22)]

 $\Rightarrow$  y=0 or z=0 [Since N is integral domain by definition(1.22)]

 $\Rightarrow$ y  $\in$  {0} or z  $\in$  {0}.

Then  $\{0\}$  is a x-C.P.I for all  $x \in \mathbb{N} \setminus \{0\}$ .

### Proposition (2.38):

Every a near ring integral domain N is v-prime (v = 0, 3, equi) near-ring.

#### Proof:

Let {0} be a left symmetric ideal of a near ring integral domain N,

 $\therefore$  {0} is a x-C.P.I of N for all x  $\in$  N\{0} [By proposition (2.37)]

 $\Rightarrow$  {0} is equiprime ideal of N . [Since {0} is left symmetric by proposition (2.7)]

 $\Rightarrow$  {0} is a 3-prime ideal of N . [Since {0} is left symmetric by proposition (2.6)]

 $\Rightarrow$ {0} is a 0-prime ideal of N . [Since {0} is a 3-prime by remark (1.17)]

 $\Rightarrow$  N is a v-prime near ring (v=0,3,e)

[Since  $\{0\}$  is a v-prime (v=0,3,e) by remark(1.23)]

### Proposition (2.39):

Let  $\{N_j\}_{j\in J}$  be a family of a near rings ,  $x_j\in N_j$  and  $I_j$  be  $x_j$  - C.P.I for all  $j\in J$ .

Then  $\prod_{j \in J} I_j$  is (  $x_j$  )- C.P.I of the direct product near ring  $\prod_{j \in J} N_j$  . Proof:

Let 
$$(y_j),(z_j) \in \prod_{j \in J} N_j$$
 and  $(x_j).((y_j).(z_j)) \in \prod_{j \neq J} I_j$ 

$$(x_j).(y_j.z_j) \! \in \ \prod \! I_j$$

 $(x_j, y_j, z_j) \in I_j$  for all  $j \in J$ 

 $y_i \in I_i \text{ or } z_i \in I_j \text{ [Since } I_j \text{ is (} x_j \text{)- C.P.I for all } j \in J]$ 

$$(y_j) \in \prod_{j \in J} I_j$$
 or  $(z_j) \in \prod_{j \in J} I_j$   $\Rightarrow \prod_{j \in J} I_j$  is  $(x_j) - C.P.I$ .

### Proposition (2.40):

Let  $\{N_j\}_{j\in J}$  be a family of  $x_j$ - C.P.I near rings where  $x_j$ -  $N_j$  for all j-  $N_j$ . Then the product near ring  $\prod_{j\in J} N_j$  is  $(x_j)$ - C.P.I.

### Proof:

Let I be an ideal of the product near ring  $\prod_{j \in J} N_j$  there exist a family of ideals

 $\{ \ I_j \}_{j \in J} \ \text{ such } I = \prod_{j \in J} I_j \ \text{ and each } I_j \text{ is an ideal of a near ring } N_j \text{ ,for all } j \in J \Rightarrow \text{each } I_j \text{ , } x_j \text{ - C.P.I of } N_j \text{ ,for all } j \in J.$  [Since  $N_j$  is  $x_j$  - C.P.I ,for all  $j \in J$ 

by definition (2.15)],

 $\Rightarrow$  I<sub>j</sub> = I is (x<sub>j</sub>)- C.P.I of the product near ring  $\prod_{j \in J} N_j$  [By proposition (2.39)]

$$\Rightarrow \prod_{j \in J} N_j \text{ is a } (x_j) \text{- C.P.I near ring} \quad [\text{Since } \prod_{j \in J} \text{is } (x_j) \text{- C.P.I of the}$$

$$\text{product near ring by definition} (2.15)]$$

### Proposition (2.41):

Let I be an ideal of the x- C.P.I near ring N. Then the factor near ring N/I is x+I-C.P.I ring.

#### Proof:

The natural homomorphism  $nat_I: N \rightarrow N/I$  which is defined

By  $nat_I(a) = a+I$ , for all  $a \in N$ 

Is an epimomorphism.

Now let J be an ideal of the factor near ring N/I .

we have  $nat_{I}^{-1}(J)$  is an ideal of the near ring N. [By theorem (1.24)]

- $\Rightarrow$  nat<sub>I</sub><sup>-1</sup>(J) is a x-C.P.I of N [Since N is x-C.P.I near ring by definition (2.15)].
- $\Rightarrow$ nat(nat<sub>I</sub><sup>-1</sup>(J)) = J is nat<sub>I</sub> (x) -C.P.I of N/I [By proposition (2.35)]
- $\Rightarrow J \ \ \text{is a} \ x+I \text{ -C.P.I} \ \ \text{of factor near ring} \ . \qquad \text{[Since N/I is a} \ x+I \text{ C.P.I} \ \ \text{ring]}.$

### **REFERENCES**

- [1] G. L. Booth, N. J. Groenewald and S. Veldsman, "A Kurosh-Amitsur Prime Radical for Near-rings", Comm. Algebra, 18 (9) (1990), 3111 3122.
- [2] G.Mason, "Fully Idempotent Near ring And Sheaf Representations", Canda, 1995.
- [3] G.Pilz, "Near ring", North Hollanda Publ.and co.,1977.
- [4] H.A.S.Abujabal, "On Structure And Commutativity Of Near Rings", Antofagasta-Chile, 2000
- [5] H.H.abbass, S.M.Ibrahem , "On Fuzzy Completely Semi Prime Ideal With Respect To An Element Of A Near Ring" , Msc thesis,2011
- [6] M.S.Davender, "Fuzzy homorphism Of near rings", Fuzzy Set Systems, vol 45,pp. 83-91 .1992.
- [7] M.S.Davender, "Fuzzy Subfields", Fuzzy Set Systems, vol. 37, pp.383-388,1990.
- [8] N.J.Groenewald," The completely prime radical in near rings", Acta Math .Hung ., vol33,pp.301-305,1988.
- [9] N. J. Groenewald, "Different Prime Ideals in Near-rings", Comm. Algebra, 19 (10) (1991), 2667 2675.
- [10] P.Dheena, "Ageneralization Of Strongly Regular Near ring", Indian J.Pureappl. math,vol. 20,(1),pp.58-63,1989.
- [11] P.Dheena and G.Satheesh Kumar, "Completely 2-primal Ideal in near ring", Indid,2007
- [12] S. Veldsman, "On Equiprime Near-rings", Comm. Algebra, 20 (9) (1992), 2569 2587
- [13] W.B.vasantha andasamy, "samarandache near ring"United States of America", pp.20-30,pp.69-71,158,2002.
- [14] W. L. M. Holcombe, "Primitive near-rings", Doctoral Dissertation, University of Leeds, 1970.