

وزارة
التعليم العالي والبحث العلمي
جامعة ميسان
كلية التربية الاساسية



مجلة ميسان للدراستات الأكاديمية

للعوم الانسانية والاجتماعية والتطبيقية

Misan Journal For Academic Studies
Humanits, Social and applied Sciences

ISSN (PRINT) 1994-697X

(Online)-2706-722X

المجلد 24 العدد 56 كانون الاول

Dec 56 Issue 24 vol

Misan Journal

مجلة ميسان للدراسات الأكاديمية
العلوم الإنسانية والاجتماعية والتطبيقية
كلية التربية الأساسية / جامعة ميسان

كانون الأول 2025


العدد 56

المجلد 24

DEC, 2025

SSUE 56

VOLUME 24



مركز الأبحاث في المكتبة الوطنية العراقية 1326 لسنة 2009

journal.m.academy@uomisan.edu.iq

<https://www.misan-jas.com/index.php/ojs>

<https://iasj.rdd.edu.iq/journals/journal/view/298>

الصفحة	فهرس البحوث	ت
12 – 1	Influence of the Addition of Nano Cerium Oxide/Chitosan Composite on the physical Characteristics of Polymethylmethacrylate Resin Ali Hussein Jaber Firas Abdulameer Farhan	1
27 – 13	The Impact of Peer-centred Feedback on Academic Essay Writing: A Mixed-Methods Study of Third-Year English Students at Imam Al-Kadhūm College Asmaa Hussain Jaber	2
36 – 28	Study of the evolutionary origin and virulence factors of bacterial species causing umbilical cord infections in newborns Rehab Riyadh Al-Mousawi Wafaa Abdul Wahid Al-Kaabi	3
45 - 37	Isolation and Phenotypic Characterization of Multidrug-Resistant Pseudomonas aeruginosa Isolated from Wounds and Burns of Patients in an Iraqi Clinical Setting: A Study of Their Distribution and Antibiotic Resistance Ziyad Kadhēm Dahil Alburki Samira Gjr Jremich	4
55 – 46	Genetic estimation of the toxic shock syndrome genes for burn patients in Al-Qadisiyah Province Ahmed Madboub Tahir Rana Saleh Al-Tawil	5
69 – 56	Protective effect of probiotic (Lactobacillus casei) against Escherichia coli causing diarrhea Ali J. Turki, Dhuhaa Kh. Kareem Abeer M. Alsheikly	6
84 – 70	The Impacts of Nano Barium Titanate on The Radiopacity and Surface Roughness of 3D-Printed Acrylic Denture Base Rand Naseer Kadhum Thekra Ismael Hamad	7
98 – 85	Assessment of the wettability of addition silicone Impression material following short term immersion in tea tree oil solution Samir Samier hammed Aseel Mohammed Al-Khafaji	8
110 – 99	C-peptide, liver enzymes and CRP-protein related with vitamin D deficiency in obese and diabetic (type 2) women Farah Kadhīm Alwan Ahmed Aboud khalifa	9
125 – 111	Investigation of Toxoplasma gondii in women with breast cancer by using the Histopathology technique in Southern Iraq Elaf G. G. Alzaidy Hussain A. M. Alsaady Sawsan S. Alharoon	10
139 – 126	Mapping of Gross Heterogeneity of Mishrif Formation at West Qurna 1 Oilfield, Southern Iraq Mustafa A. Abdulhasan Amna M. Handhal	11
157 – 140	A matter between two extremes: A Study in Rational Analysis Ayad Naeem Majeed	12
173 – 158	Innovation in the Introductions of the Ibn Al-Rumi's Poems (283 AH - 896 AD) Aziz Mousa Aziz	13
188 – 174	Intertextuality in the Short-Short Stories: The Case of Ahmed Jarallah Yassin Raghad Mohammed Saeed Hassan	14
210 – 189	Holograms and Virtual Sculpture: A Study in the Physical Vanishing of Digital Sculptures Works by artist Paula Dawson (as a model) Essam Nazar Mohammad Jawad	15

224 – 211	The Concepts of Predestination and Free Will in Mu'tazilite Thought (A Methodological Study from Theological to Philosophical Issues) Najlaa Mahmood Hameed	16
242 – 225	Evaluation of the Second – Grade Mathematics Textbook According to International Standards Amal Abd.A.Abass Ramla A. Kadhem	17
261 – 243	The Concept of the Hero in Ancient Iraqi Thought Atheer Ahmad Huseen Sara Saeed Abdul Redha Ekram Fares Ghanem	18
277 – 262	Synthesis and Characterization of Some 1,4-Dihydropyridine Derivatives Substituted at Position 1 and Evaluation of Their Biological Activity Sajeda Kareem Hussein Tahseen Saddam Fandi	19
291 – 278	The Syntactic Deletion in the Poetry of Al-Raai Al-Namiri Riyadh Qasim Hassan	20
303 – 292	The Language of Grammatical Criticism in Al-Radhi's Commentary on Al-Kāfiyah: A Study in Content and Style Kadhim Jabbar Alag	21
315 – 304	Visual Integration in the Structural System of Juliette Clovis's Ceramic Works: An Analytical Study of Form and Content Rula Abdul-Ilah Alwan Al-Nuaimi	22
332 – 316	An Employment of Images and Typography as a Means of Communication on Book Covers Abbas Faisal Mushtat	23
348 – 333	The Effect of Post and Brennan Strategy in Acquiring Copper Plate Skills for the Students of the Fine Arts Abbas Mahdi Jari Ronak Abboud Jaber Hussain Muhammad Ali	24
364 – 349	The Role of Contextual Learning in Raising the Level of Academic Aspiration among Students of the Department of Art Education Wiam Nadeem Jabr Al-Alaq	25
385 – 365	Environmental Degradation of the Marshes and Its Impact on Livestock Rearing (Case Study: Hammar Marsh in Dhi Qar Province) Ibtisam Ghat'a Khaji Al-Lami	26
405 – 386	Language and Gender in Riyam wa Kafa and Papa Sartre: A Lakoffian Reading Raed Hani Obaid Bany Saad Mohammed Saadi Masoud Bavanpouri	27
422 – 406	Comprehensive analysis of observed changes in pressure systems and their impact on climatic elements over Iraq (for selected climatic stations) Hassan Ali Abdul Zahra	28
443 – 423	The Effect of a Proposed Mindfulness-Based Strategy on Developing Deep Text Comprehension Skills among First-Grade Intermediate Students in Arabic Language Subject Aqeel Rasheed Abdul-Shahid Al-Asadi	29

ISSN (Print) 1994-697X
ISSN (Online) 2706-722X

DOI:

<https://doi.org/10.54633/2333-024-056-008>

Received: 10/May/2025

Accepted: 20/July/2025

Published online: 30/Dec/2025



MJAS: Humanities, Social and
Applied Sciences
Publishers

The university of Misan.
College of Basic Education This
article is an open access article
distributed under the terms and
conditions of the Creative
Commons Attribution

(CC BY NC ND 4.0)

<https://creativecommons.org/licenses/by-nc-nd/4.0/>

Assessment of the wettability of addition silicone Impression material following short term immersion in tea tree oil solution

¹ Samir Samier hammed , ² Aseel Mohammed Al-Khafaji

^{1,2} Department of prosthodontics, College of Dentistry,
University of Baghdad, Baghdad, Iraq

¹ Samir.Samir2301m@codental.uobaghdad.edu.iq

² aseel.khafaji@codental.uobaghdad.edu.iq

ORCID: ¹ <https://orcid.org/0009-0003-3056-7112>

Abstract:

Background: Dental impressions are often contaminated with the patient's saliva, blood, and plaque, represents a risk of cross-infection between dental practitioners. In order to prevent the spread of microorganisms, disinfection of all dental impressions is mandatory. Chemicals are usually used to disinfect impressions by immersion. Nonetheless, these chemicals may alter the physical and mechanical properties of impression material. The study purpose was to evaluate the tea tree oil effect as an impression disinfectant on wettability property of addition silicone impressions material.

This study employed a total of 60 heavy- and light-body addition silicon impression material specimens. The specimens were randomly sorted and immersed into three primary groups. These test groups were 1% TTO and the other two groups are distilled water (negative control) and 2% glutaraldehyde (positive control). All was immersed for 10 minutes. Each of the

three main groupings has 20 specimens.

There were no statistically significant differences in wettability of addition silicone impressions among all test groups.

The addition silicone impression material may be safely submerged in TTO for 10 minutes to disinfect it without impairing the wettability of the impression.

Keywords: Addition silicone, Tea tree oil (TTO), wettability, Glutaraldehyde, Distilled water

Introduction:

Overview: In dental practice, impressions are undoubtedly infected with possibly dangerous germs when touching patients' blood, plaques, and saliva (Chidambaranathan, A.S. & Balasubramaniam, M., 2019). Which may be a source of diseases transmission and cross-infection risk for the dental professionals, dental assistant personals, and dental lab technicians (Hardan et al., 2022). Thus, it is critical to effectively sanitize dental impressions prior to its

transferal to the dental lab (Al Mortadi et al., 2019). As a result, an effective method for preventing cross-contamination while preserving the physical and mechanical qualities of the impression is necessary. Dental impressions infected with potentially harmful germs come into touch with the patient's blood and saliva (Hussian, A. M., & Jassim, R. K., 2015). This might lead to cross-infections among dentists, dental assistants, and laboratory technicians (Al-Azawi et al., 2016). Studies have focused on the removal of microorganisms using various disinfectants in terms of their endurance without causing any physical and mechanical property changes in the impression material (Muzaffar et al., 2015). A change in the characteristics can significantly affect the success of the final prosthesis inserted in the oral cavity. This has been the most crucial cause for dental personnel's negligence in disinfecting impressions to avoid losing information.

Background: The immersion and spraying approach with various disinfection solutions was tried and confirmed to be efficient for impression disinfection before being sent to dental lab (Samra, R. K., & Bhide, S. V. 2018). However, the most reliable method is immersion as the immersion approach ensures that the disinfecting solution reaches the whole surface of the impression material and tray (Chidambaranathan, A. S. M., 2017). Sodium hypochlorites, alcohols, chlorhexidine, hydrogen peroxide, and glutaraldehyde are some of the common chemical disinfectants utilized (Stoeva et al., 2019).

Problem statement: because no single disinfectant could be recognized to be a universal disinfectant for all impression materials, it is critical to select an ideal disinfectant agent with superior antimicrobial activity that does not disturb the features captured by the impression, like the wettability (Rweyendela et al., 2009).

Chemical cleaning involves immersing in solutions with antibacterial, antifungal, and solvent characteristics. These solutions can be used alone or in conjunction with mechanic or ultrasonic cleaners (Noori et al., 2013). A proper disinfectant should fulfil two purposes: first, it must be effective antibacterial agent and second should have no negative impact on dimensional correctness of the impression and the resulting gypsum cast. The latter is important in the effort to offer a functioning and a well fitting completed product. Disagreement exists in literature regarding whether disinfecting technique causes deterioration or distortion of perceptions (Hardan et al., 2022).

An important consideration in disinfecting impression material is the effects of disinfectant on the properties of impression material, particularly impression-like addition silicone, where the exact fit of the dental prosthesis significantly influences the outcome of prosthodontics work, which is dependent on the accurate recording of fine intraoral details. As a result, the major requirement for many dental and maxillofacial rehabilitation treatments is to have an accurate negative copy of the appropriate site that is not damaged by disinfection (Hussian, A. M. & Jassim, and R. K. 2015).

Among the various methods of sterilization and disinfection, chemical disinfection is the ideal choice for disinfecting dental impressions, because impressions can't be disinfected by using heat (Jasim et al., 2022)

Immersion in 2% glutaraldehyde for 10 minutes may be useful for disinfecting elastomeric dental impressions, as suggested by the (ADA) American Dental Association (American Dental Association, 1996, AlZain, S., 2019). Glutaraldehyde (GA) is an odorless liquid with an overpowering odor. It has some drawbacks in clinical practice that are harmful to dental practitioners such as it causes the lipid surfactant layer to disintegrate and can cause substantial damage to the airway epithelium, capillaries in the pulmonary system, and alveolar septum. Other drawbacks of GA are Atelectasis, interstitial inflammation, and the emergence of the hyaline membrane are other pathogenic indicators (Saboo et al., 2023).

Natural or herbal derivatives have long been used in dentistry and medicine, and because of their antibacterial activity, biocompatibility, lack of germ resistance, anti-oxidant, anti-inflammatory, easy availability, and affordable qualities, they are becoming even more well liked (Al-Badr et al., 2017). Tea tree oil (TTO) is generated from *Melaleuca alternifolia*, a native Australian plant (Figure-1), whose leaves could be steam-distilled to yield TTO. TTO composed of a mixture of compounds, primarily alcohols of monoterpene and sesquiterpene hydrocarbons. Originally used as a disinfectant and herbal medicine by Australian aborigines, the medicinal properties of this oil were documented in the 1920s. Since then, several studies have documented its broad-spectrum antimicrobial activity and it is now utilized as an effective ingredient in a variety of oral hygiene and dermatological products (Brun et al., 2019).

Extracts possess advantages over produced products because of their non-toxic nature and antimicrobial tolerance (Yahya Khalid et al., 2024).

Tea tree oil possesses antiseptic, antibacterial, anti-inflammatory, and antifungal qualities, especially those that were anti-Candida. It has also been proposed as an anti-tumor agent, it also may inhibit in vitro human melanoma cell growth by inducing programmed cell death dependent on caspase (Saboo et al., 2023).

The disinfection solution may change the impression materials' properties (Taha et al., 2025). Research has shown that green tea extracts have antibacterial characteristics, specifically targeting many types of oral bacteria, including both gram positive and gram negative strains such as *E. coli*, *Salmonella* spp., *Staphylococcus aureus*, and *Enterococcus* spp (Salman et al., 2025). Research is now being conducted to explore the potential therapeutic use of essential oils (Al-Khafagi, K. S., & Mahmood, W. S., 2024).

Aims of the study: The main purpose of this research was to evaluate the effect of immersion of additional silicon impression material in tea tree oil and 2% glutaraldehyde for 10 minutes on wettability of additional silicone impression materials.



Figure (1): Tea tree oil shrub (*Melaleuca alternifolia*)

The null hypothesis predicted that the wettability of the additional silicone impression material would not be significantly impacted. Whereas the alternative hypothesis proposed that, the wettability of the additional silicone impression material will be significantly impacted by the immersion of silicon impression material in tea tree oil solutions.

Materials and methods:

Additional silicone impression specimens were prepared. According to the ISO 4823:2015 standard for evaluating elastomeric impression materials.

The test specimens and procedures were prepared at 23 ± 2 °C and with a relative humidity of $50 \pm 10\%$. The equipment was conditioned at this temperature and humidity for at least 10 hours before testing (American Dental Association., 2004).

The testing solutions, distilled water, 1% TTO, and 2% glutaraldehyde were also in the same condition.

In a moisture-resistant container, the addition silicon impression was conditioned at a temperature of 23 ± 2 °C.

According to the ADA specification No. 19 standard for evaluating elastomeric impression materials, an equipment was created and 3D printed with the software package 3D max 2022. The equipment is made up of four pieces. The first is a ruled test block that has five v-shaped lines engraved into it. Three vertical lines (A 50 m, B 20 m, and C 75 m) and two horizontal lines (D1 and D2) have a depth of 75 m. The length of the vertical lines between D1 and D2 is 25 mm, which is utilized to calculate the linear dimensional change. The second component is a ring mold that serves as a mold for a dental impression, while the third component is a riser as shown in figure (2) & (3).




Figure (2) : Testing block




Figure (3): Testing apparatus

Addition silicon impression material (3M, USA) was prepared according to ADA specification No. 19 and used as the test impression material. Before impression making, The test block was immersed in a water bath at 35°C for 15 minutes to ensure that the block temperature standardizes to intra-oral temperature as the ADA standards recommend. The ring was cleaned with solvent alcohol (Hema Pharmaceuticals, Tamil, India) and dried after soaking in cotton (Jayamari Enterprises, Tamil, India). The ring was placed on the test block after lubricating with petroleum jelly (Bharat Pharmaceuticals, Tamil, India) (American Dental Association., 2004).

Impressions were made in two steps (putty wash) technique. First, the square sheet of plastic wrap was placed over the impression surface of the test block, and then the impression ring was

placed over the test block, mixing addition silicon putty by hand until gets mixture that has no streaks in it. When the putty was thoroughly mixed, it was placed over the impression ring, put the glass slab over it to produce a flat impression surface, and waited until it was completely set (3-5 minute). Then the impression mold with addition silicon putty was removed. And then replace the square sheet of plastic wrap with addition silicon light body mixed with an auto-mixing gun (china)(Al-Khafagi, K. S., & Mahmood, W. S., 2024) as shown in figure(4).

The ring was filled with putty and light body addition silicon impression material to achieve a three mm thickness. A glass slab (Star Labs, Star, India) was placed over the mold.




Figure (4) : Addition silicon impression specimen image after transferred from camera to personal computer.

Specimen grouping:

A total number of 60 impression specimens, which divided into six test groups of 20 Specimens each. The testing groups were

Group 1: 20 addition silicon specimens were immersed for 10 minutes in 1% TTO

Group 2: 20 addition silicon specimens were immersed for 10 minutes in distilled water (Negative control)

Group 3: 20 addition silicon specimens were immersed for 10 minutes in 2% Glutaraldehyde as advised by the ADA (positive control).

Preparation of TTO Solution:

Tea Tree pure Essential Oil (Now Foods, Bloomingdale, IL 60108, USA) as shown in figure(5) TTO solution was prepared by combining it (according to the specimen groups) with 1% Tween 80 as an emulsifier using a magnetic stirrer and distilled water.



Figure (5): organic essential tea tree oil (*Melaleuca alternifolia*)

TTO solution was prepared in Chemistry Lab, Department of Dentistry, university of karbala. Tea tree oil, Tween 80® and distilled water were used to prepare the solution. 1:1 ratio of tea tree and tween 80 were selected, and 1% tea tree oil was prepared using magnetic stirrer device under 300 round per minute (rpm) (Stuart- Hotplate & Stirrers) at room temperature (28 ± 5 °C). At first, tween 80 surfactant is added to the container and then tea tree oil was added and let them stir for a couple of minutes in a 100 ml glass container. Then distilled water is added drop by drop until 100ml volume is reached, then it is let to be stirred for about 10 minutes. Prepared tea tree oil solution was stored at room temperature (28 ± 5 °C) to get the best condition of tea tree oil for future studies.

The specimens were conditioned in water bath at 35°C for 10 minutes to mimic mouth temperature during impression taking and then immersed in the prepared glass containers of each group for 10 minutes and then removed and rinsed by distilled water and stored at room temperature. After 24 hours these specimens were tested for wettability.

Evaluation of wettability:

The contact angles of each surface of the impression specimens were measured using a VINO Contact Angle Goniometer. Prior to taking the measurement, the specimens were stored at room temperature. Each specimen was set up on the goniometer's movable mechanical stage. A drop of distilled water which has an average size of (0.5-2) µl was used as the wetting liquid on the specimen surface which is located at a distance of 3mm from the specimen's surface as shown in (Figure-6).




Figure -6: Contact angle (Goniometer) with digital video camera and computer.

A high-definition video camera was part of an optical apparatus used to monitor the spilled water. The contact angle was measured (30) seconds after touching the PVS impression surface. For every drop, two contact angle measurements were made at the drop's right and left ends of the image. The final contact angle reading for each specimen was determined by averaging the two readings (Alsmael, M. A. R.,2018).).A computer software was used to record contact angle measurements at five distinct locations for each specimen. The mean was then computed, as illustrated in (Figure -7 and 8).




Figure -7: Addition silicone specimen placed on the adjustable stage then a drop of distilled water injected by the instilled syringe.




Figure -8: Measurements of contact angles. A: 1% TTO specimen B: 2% GA group specimen, and C: control (DW) group specimen.

Statistical analysis:

The mean contact angle values for the control group GA group, and TTO group are displayed in (Table -1) and (Figure -9). According to (Table -2), the ANOVA test showed that there was a non-significant difference in between the three groups at ($p > 0.05$).

Table -1: Descriptive statistics of wettability ($^{\circ}$) for all test groups.

Groupings	Number of specimens	Min.	Max.	Mean	SD	SE
Control	10	63.05	67.60	65.39	1.628	0.5148
GA	10	60.88	68.37	65.01	2.242	0.8434
TTO	10	61.89	68.96	65.11	2.667	0.7091




Figure-8: Boxplot chart of wettability (°) test all test groups.

Table -2: Comparing wettability among different test groups using one way ANOVA.

ANOVA table	Sum square	df	Mean square	F	P value
Between groupings	2.648	2	1.324	0.2685	0.7665
Within groupings	133.1	27	4.931		
Total	135.8	29			

Results:

Immersion of addition silicon impression material in different concentrations of tea tree oil for 10 min showed non-significant change in wettability in comparison to control group.

Discussion:

Wettability is defined, as the ability of a particular liquid to moisten a surface and its propensity to spread across it. The viscosity of the liquid, surface imperfections and contaminants all affect a surface's wettability (Yuan, Y., & Lee, T. R. 2013). Since hydrophobic aliphatic hydrocarbon groups surround the siloxane bond, the chemical structure of VPS materials explains their known inherent hydrophobicity. In order to create hydrophilic or even ultra-hydrophilic impression materials, a surfactant is added to addition silicone materials (Luo, F et al., 2018).

How long the impression left in disinfectant, and the type of disinfectant used are important factors in preserving the physical characteristics of the impression material. The impact of impression disinfection on wettability of the impression material is also very important because wettability has a direct impact on the size and quantity of air bubbles that can form in stone models created from impressions (Ozmen, M. F., 2020).

The disinfection process may also change the chemical composition and surface characteristics of the material by absorbing or diluting the impression material's surfactant by long-term immersion disinfection (Ozdogan et al., 2020). Hence Ten minutes, immersion time in TTO did not affect addition silicone impression wettability. A surface's ability to be wetted by a particular liquid is determined by the increasing contact angle. Air will be more likely to gather on the surface at higher contact angles, which could result in stumps or voids in the impression (Chandrakala et al., 2019).

This study determined that 10 minutes immersion of addition silicone in impression specimens 1% TTO did not affect the wettability of the impression specimens. The fact that addition silicone impression retained its wettability even after immersion in TTO this indicates that its surface energy and hydrophilic character were not altered by short-term exposure to TTO.

This outcome agrees with research by Kotha et al. who examined the effects of autoclaving, microwave sterilization, and chemical disinfection on a number of important elastomer properties. None of the disinfection or sterilization methods had a significant impact on wettability (Kotha et al., 2017).

The results of wettability test in this study showed a non-significant difference between all the test groups, so the null hypothesis was accepted.

Conclusion:

With in the parametrs of this study it was shown that Additional silicone impression material can be safely disinfected by immersion in TTO for ten minutes without affecting the wettability of the impression.

Acknowledgment

Special thanks to my parents and my brothers for their love,encouragement and support in every step of the journey.

To my dear wife for walking beside me with patience,grace and unwavering belief.

To colleagues and friends who shared their words of advice and encouragement to finish this study.

To my best supervisor, thank you for being such a helpful and wonderful supervisor and guiding me in completing this work at every step.

Special thanks to my teaching staff and colleagues in the prosthodontic department for their great help and encouragement throughout our courses and clinics.

References:

- 1.Chidambaranathan,A.S.& Balasubramaniam, M. (2019). Comprehensive review and comparison of the disinfection techniques currently available in the literature. *Journal of Prosthodontics*, 28(2), e849–e856. <https://doi.org/10.1111/jopr.12597>.
2. Ganavadiya, R., Shekar, B. R. C., Saxena, V., Tomar, P., Gupta, R., & Khandelwal, G. (2014). Disinfecting efficacy of three chemical disinfectants on contaminated diagnostic instruments: A randomized trial. *Journal of Basic and Clinical Pharmacy*, 5(4), 98–104.<https://pmc.ncbi.nlm.nih.gov/articles/PMC4194945>.

3. Hardan, L., Bourgi, R., Cuevas-Suárez, C. E., Lukomska-Szymanska, M., Cornejo-Ríos, E., Tosco, V., et al. (2022). Disinfection procedures and their effect on the microorganism colonization of dental impression materials: A systematic review and meta-analysis of in vitro studies. *Bioengineering*, 9(3), 123. <https://doi.org/10.3390/bioengineering9030123>.
4. Al Mortadi, N., Al-Khatib, A., Alzoubi, K. H., & Khabour, O. F. (2019). Disinfection of dental impressions: Knowledge and practice among dental technicians. *Clinical, Cosmetic and Investigational Dentistry*, 11, 103–108. <https://doi.org/10.2147/CCIDE.S205144>.
5. Muzaffar, D., Choudhary, S., Jameel, R. A., Afaq, A., Tanwir, F., & Hashmi, S. (2015). A practical guide to use and methods of disinfection of alginate impression materials. *EC Dental Science*, 3, 515–526. <https://pmc.ncbi.nlm.nih.gov/articles/PMC4194945/>.
6. Samra, R. K., & Bhide, S. V. (2018). Comparative evaluation of dimensional stability of impression materials from developing countries and developed countries after disinfection with different immersion disinfectant systems and ultraviolet chamber. *Saudi Dental Journal*, 30(2), 125–141. <https://doi.org/10.1016/j.sdentj.2017.11.005>.
7. Chidambaranathan, A. S., M. (2017). & Balasubramaniam Comprehensive review and comparison of the disinfection techniques currently available in the literature. *Journal of Prosthodontics*, 28(2), e849–e856. <https://doi.org/10.1111/jopr.12597>.
8. Stoeva, V., Bozhkova, T., Atanasowski, A., & Kondeva, V. (2021). Study of knowledge of hand disinfection and dental impressions in everyday practice among dental students during a pandemic by Coronavirus Disease 2019. *Open Access Macedonian Journal of Medical Sciences*, 9(D), 138–142. <https://doi.org/10.3889/oamjms.2021.6697>.
9. Rweyendela, I. H., Patel, M., & Owen, C. P. (2009). Disinfection of irreversible hydrocolloid impression material with chlorinated compounds. *South African Dental Journal*, 64, 208–212. <https://doi.org/10.1111/jopr.12597>.
10. Hussian, A. M., & Jassim, R. K. (2015). Effect of sodium fluoride addition as a disinfectant on some properties of alginate impression material. *Journal of Baghdad College of Dentistry*, 27(1), 70–76. <https://doi.org/10.1016/j.sdentj.2018.10.03>.
11. American Dental Association. (1996). Infection control recommendations for the dental office and the dental laboratory. *Journal of the American Dental Association*, 127(5), 672–680. <https://doi.org/10.14219/jada.archive.1996.0280>.
12. AlZain, S. (2019). Effect of 0.5% glutaraldehyde disinfection on surface wettability of elastomeric impression materials. *Saudi Dental Journal*, 31(1), 122–128. <https://doi.org/10.1016/j.sdentj.2018.10.002>.
13. Saboo, K., Gemnani, R. R., Sharma, S., Kumar, S., & Acharya, S. (2023). Chemical pneumonitis and reactive airways dysfunction syndrome after fumigation exposure to dimethanol and glutaraldehyde: A silent menace unmasked. *Cureus*, 15(8), e42939. <https://doi.org/10.7759/cureus.42939>.
14. Al-Badr, R. J., & Al-Huwaizi, H. F. (2017). Effect of tea tree, *Thymus vulgaris* and *Nigella sativa* oils on the elimination of *Enterococcus faecalis* (in vitro study). *Journal of Baghdad College of Dentistry*, 29(1), 55–62. <https://pmc.ncbi.nlm.nih.gov/articles/PMC4194945/>.
15. Brun, P., Bernabè, G., Filippini, R., & Piovan, A. (2019). In vitro antimicrobial activities of commercially available tea tree (*Melaleuca alternifolia*) essential oils. *Current Microbiology*, 76, 108–116. (No DOI found)

16. Taha, I. J., & Abass, S. M. (2025, April 2). Effect of hypochlorous acid on surface roughness and wettability of zinc oxide eugenol impression paste. *Misan Journal of Academic Studies*, 24(53), 25–36. https://link.springer.com/chapter/doi.org10.1007/978-3-642-34243-1_1
17. Salman, A. S., & Ahmed, M. A. (2025, April 2). Evaluation of anti-plaque and anti-inflammatory efficacies of mouth rinse containing green tea and *Salvadora persica* L. in the management of dental biofilm-induced gingivitis. *Misan Journal of Academic Studies*, 24(53), 1–4.
18. Al-Khafagi, K. S., & Mahmood, W. S. (2024, December 25). Assessment of the surface hardness of high-impact polymethylmethacrylate following long-term dipping in clove oil solution. *Misan Journal of Academic Studies*, 23(52), 113–121. https://link.springer.com/chapter/doi.org10.1007/978-3-642-34243-1_1
19. American Dental Association. (2004). Revised American Dental Association specification no. 19 for non-aqueous, elastomeric dental impression materials. *Journal of the American Dental Association*, 94(4), 733–741. <https://doi.org/10.14219/jada.archive.1977.0334>
20. Alsmael, M. A. R. (2018). The effect of adding titanium silicate nanofillers on some properties of maxillofacial silicone material (Doctoral dissertation). University of Baghdad.
21. Yuan, Y., & Lee, T. R. (2013). Contact angle and wetting properties. In G. Bracco & B. Holst (Eds.), *Surface Science Techniques* (pp. 3–34). Berlin, Germany: Springer. (Book chapter; no https://link.springer.com/chapter/10.1007/978-3-642-doi.org34243-1_1
22. Luo, F., Hong, G., Wang, T., Jia, L., Chen, J. Y., Suo, L., et al. (2018). Static and dynamic evaluations of the wettability of commercial vinyl polysiloxane impression materials for artificial saliva. *Dental Materials Journal*, 37(5), 818–824. <https://doi.org/10.4012/dmj.2017-154>
23. Ozmen, M. F. (2020). Effect of two different disinfectant agents on wettability of elastomeric impression materials. *Journal of Dental Materials & Technology*, 9(3), 118–124. <https://doi.org/10.22038/jdmt.2020.46783.1356>
24. Ozdogan, A., & Ozmen, M. F. (2020). Effect of two different disinfectant agents on wettability of elastomeric impression materials. *Journal of Dental Materials & Technology*, 9(1), 20–27. <https://doi.org/10.22038/JDMT.2020.14643>
25. Chandrakala, S., Ramesh, G., & Nayar, S. (2019). A comparative study to determine the wettability of different impression materials. *Indian Journal of Public Health Research & Development*, 10(12), 1183–1189. <https://doi.org/10.37506/v10/i12/2019/ijphrd/192297>
26. Kotha, S. B., Ramakrishnaiah, R., Divakar, D. D., Celur, S. L., Qasim, S., & Matinlinna, J. P. (2017). Effect of disinfection and sterilization on tensile strength, surface roughness, and wettability of elastomers. *Journal of Investigative and Clinical Dentistry*, 8(4), 1–6. <https://doi.org/10.1111/jicd.12234>
27. Al-Azawi, R. A., & Al-Nakkash, W. A. (2016). The Effect of Silver-Zinc Zeolite Incorporation on Some Properties of Condensation Silicone Impression Material. *Journal of Baghdad College of Dentistry*, 28(4), 22–27. <https://doi.org/10.12816/0033206>
28. Yahya, Y. K., & Al-Khafaji, A. M. (2024). The Impact of Tea Tree Oil on *Bacillus subtilis* and the Surface Roughness of Type III Dental Stone. *Journal of International Dental and Medical Research*, 17(2), 498–506. <http://www.jidmr.com>, doi.org/10.22038/JDMT.2020.14643
29. Noori, Z. S., Al-Khafaji, A. M., & Dabaghi, F. (2023). Effect of tea tree oil on candida adherence and surface roughness of heat cure acrylic resin. *Journal of Baghdad College of Dentistry*, 35(4), 46–54.

30. Jasim, Z. M., Abass, S. M., Jasim, Z. M. A., & Abass, S. M. (2022). The effect of hypochlorous acid disinfectant on the reproduction of details and surface hardness of type III dental stone. *Cureus*, 14(11).

Conflicts of Interest Statement.....

Assessment of the wettability of addition silicone

Impression material following short term immersion in tea tree oil solution

The authors whose names are listed immediately below certify that they have NO affiliations with or involvement in any organization or entity with any financial interest (such as honoraria; educational grants; participation in speakers' bureaus; membership, employment, consultancies, stock ownership, or other equity interest; and expert testimony or patent-licensing arrangements), or non-financial interest (such as personal or professional relationships, affiliations, knowledge or beliefs) in the subject matter or materials discussed in this manuscript.

Author names:

1. samir samier hammed

2. aseel mohammed alkafagi

Department of prosthodontics, College of Dentistry, University of Baghdad, Baghdad, Iraq

The authors whose names are listed immediately below report the following details of affiliation or involvement in an organization or entity with a financial or non-financial interest in the subject matter or materials discussed in this manuscript. Please specify the nature of the conflict on a separate sheet of paper if the space below is inadequate.

Author names:

This statement is signed by all the authors to indicate agreement that the above information is true and correct (a photocopy of this form may be used if there are more than 10 authors):

1. samir samier hammed

2. aseel mohammed alkafagi

Department of prosthodontics, College of Dentistry, University of Baghdad, Baghdad, Iraq

Author's name (typed)

Samir Samier hammed

Author's signature



aseel mohammed alkafagi



Date 25/7/2025